

HEATSHIELD SCREW FOR MOSSBERG 500A

[Shotgun Parts](#) > [Barrel Parts](#) > [Barrel Hardware](#)

HEATSHIELD SCREW FOR MOSSBERG 500A



Attributes

- Name: [HEATSHIELD SCREW FOR MOSSBERG 500A](#)
- Manufacturer: [MOSSBERG](#)
- Product no.: 000002706
- Mfr. No.: 11588
- Model: 500
- Weapon type: Mossberg
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 137mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HEATSHIELD SCREW FOR MOSSBERG 500A](#)
- [About Us](#)

Safety Instruction Guide for HEATSHIELD SCREW FOR MOSSBERG 500A

Introduction

Thank you for purchasing the HEATSHIELD SCREW FOR MOSSBERG 500A. This guide provides essential safety information and instructions to ensure the safe use and installation of this product. Please read this guide carefully before using or installing the product.

General Safety Guidelines

- Always ensure that the HEATSHIELD SCREW is compatible with your Mossberg 500 model before installation.
- Inspect the product for any damage or defects before use. Do not use if damaged.
- Keep this product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for product recalls or safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or replacing the HEATSHIELD SCREW.
- Use appropriate tools and personal protective equipment when handling the HEATSHIELD SCREW.
- Avoid exposure to moisture and extreme temperatures which may affect the integrity of the screw.
- Do not modify the HEATSHIELD SCREW or use it for purposes other than intended.
- Be cautious of sharp edges during installation to prevent injury.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather the necessary tools, including a screwdriver suitable for the screw type.

2. Installation Steps

- Locate the designated area on the Mossberg 500 for the heat shield attachment.
- Align the HEATSHIELD SCREW with the predrilled hole.
- Insert the HEATSHIELD SCREW into the hole and tighten securely using the appropriate screwdriver.
- Do not overtighten, as this may damage the screw or the firearm.

3. PostInstallation Checks

- After installation, check the stability of the heat shield to ensure it is securely attached.
- Perform a function check of the firearm to ensure all components are working correctly.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- If the HEATSHIELD SCREW is no longer needed, consider returning it to the retailer for proper disposal.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any questions or concerns regarding the HEATSHIELD SCREW FOR MOSSBERG 500A, please refer to your retailer or manufacturer for assistance. It is important to maintain open communication to ensure safety and compliance with all relevant regulations.

Thank you for your attention to these safety guidelines. Your cooperation helps ensure a safe and enjoyable experience with your Mossberg 500A.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk