

A1 REAR SIGHT DETENT - BROWNELLS BRN-16A1 REAR SIGHT DETENT, STEEL

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Sight Detents](#)

Replacement A1 Rear Sight Detent for Brownells BRN16A1 Rifle.



Attributes

- Name: [BROWNELLS BRN-16A1 REAR SIGHT DETENT, STEEL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000679
- Mfr. No.: APRH101040
- Colour: Black
- Model: BRN-16A1
- Weapon type: Brownells
- Delivery weight: 0.045kg
- Shipping height: 5mm
- Shipping width: 89mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- Startpage
- A1 Rear Sight Detent Safety Instruction Guide
- About Us

A1 Rear Sight Detent Safety Instruction Guide

Introduction

Thank you for choosing the A1 Rear Sight Detent designed for the Brownells BRN16A1 Rifle. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Report any unsafe product conditions to the appropriate authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Always handle the rifle and its components with care, treating them as if they are loaded.
- Use protective eyewear when working with firearm components.
- Ensure that the rifle is unloaded before installing or replacing the rear sight detent.
- Do not attempt to modify the rear sight detent or any associated components.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have the necessary tools for installation, including a small punch tool and a hammer.
- Work in a clean, dry area to avoid losing small components.

2. Installation Steps:

- **Step 1:** Unload the rifle completely and doublecheck that it is safe to handle.
- **Step 2:** Remove the existing rear sight detent using the punch tool to gently tap it out.
- **Step 3:** Align the new A1 Rear Sight Detent with the designated hole in the rear sight assembly.
- **Step 4:** Use the punch tool to carefully insert the new detent into place. Ensure it is seated properly.
- **Step 5:** Test the functionality of the rear sight to ensure it operates smoothly.

3. Usage:

- After installation, check that the rear sight detent functions correctly during use.
- Regularly inspect the detent as part of routine maintenance of the rifle.

Disposal Instructions

- Dispose of any old or unused components in accordance with local waste disposal regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the A1 Rear Sight Detent, please consult the manufacturer's website or contact customer support through the provided channels. Ensure that you have the product details available for reference.

By following these guidelines, you can ensure the safe and effective use of the A1 Rear Sight Detent. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk