

SINGLE ACTION GAS RING STRETCHER JAWS ONLY - SINGLE ACTION GAS RING STRETCHER REPLACEMENT JAWS

[Gunsmith Tools & Supplies](#) > [Handgun Tools](#) > [Gas System Tools](#)

These hardened steel jaws are used to swage and lengthen the gas ring for a tighter frame-to-cylinder fit on single action revolvers. They are used in conjunction with the Brownells Single Action Gas Ring Stretcher. Single Action Gas Ring Stretcher Brownells Part Number: 080952000



Attributes

- Name: [SINGLE ACTION GAS RING STRETCHER REPLACEMENT JAWS](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000065
- Mfr. No.:
- Make: Universal Handguns
- Delivery weight: 0.029kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- **SINGLE ACTION GAS RING STRETCHER JAWS ONLY SAFETY INSTRUCTIONS**
- About Us

SINGLE ACTION GAS RING STRETCHER JAWS ONLY SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Single Action Gas Ring Stretcher Jaws. This product is designed to help you swage and lengthen the gas ring for a tighter frametocylinder fit on single action revolvers. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE) such as safety goggles and gloves when handling the product.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about safety recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the jaws if they are damaged or have visible wear.
- Avoid using excessive force when swaging the gas ring, as this may lead to product failure or injury.
- Ensure that the gas ring is properly positioned in the jaws before applying pressure.
- Keep hands and other body parts clear of the jaws during operation to prevent pinching or injury.
- Use the product in a welllit area to ensure visibility and safety during use.
- Follow all manufacturer instructions when using the Brownells Single Action Gas Ring Stretcher in conjunction with the jaws.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that the work area is clean and free of obstructions.

2. Installation:

- Attach the Single Action Gas Ring Stretcher Jaws to the Brownells Single Action Gas Ring Stretcher according to the manufacturer's instructions.
- Ensure that the jaws are securely fastened and properly aligned.

3. Usage:

- Place the gas ring into the jaws, ensuring it is centered and properly positioned.
- Gradually apply pressure to swage the gas ring, monitoring the process closely.
- Stop applying pressure if you notice any resistance or if the gas ring does not fit properly.
- Once the desired length is achieved, carefully remove the gas ring from the jaws.

4. PostUsage:

- Clean the jaws after use to remove any debris or residue.
- Store the product in a dry and safe location when not in use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste.
- If the product is no longer usable, consider recycling it if possible.

Contact Information for Further Support

For any questions or concerns regarding the safety or use of the Single Action Gas Ring Stretcher Jaws, please refer to the manufacturer's website or customer support resources.

Thank you for following these safety instructions and for your commitment to using the product responsibly. Your safety is our priority.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at