

EXTRACTOR ROD TOOL FOR RUGER® - BROWNELLS EXTRACTOR ROD TOOL FOR RUGER® SECURITY-SIX® 0.266 DIA

[Gunsmith Tools](#) > [Handgun Tools](#) > [Action & Frame Tools](#) > [Extractor Tools](#)

Machined aluminum clamp maintains a secure hold of the extractor rod for fast, easy removal without scratching or gouging the metal surface. Steel, Allen head screw tightens to pull the clamping halves together for a non-slip hold. Grasp the tool and unscrew the extractor. Ensures professional-looking results everytime. Available for Ruger® Security-Six®. Recommended for use with Brownells adjustable extractor support tools.



Attributes

- Name: [BROWNELLS EXTRACTOR ROD TOOL FOR RUGER® SECURITY-SIX® 0.266 DIA](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000538
- Mfr. No.:
- Model: Universal Handguns
- Weapon type: Ruger
- Delivery weight: 0.045kg
- Shipping height: 8mm
- Shipping width: 69mm
- Shipping length: 38mm
- UPC: 050806109193

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Extractor Rod Tool for Ruger® SecuritySix®
- About Us

Safety Instruction Guide for Extractor Rod Tool for Ruger® SecuritySix®

Introduction

Thank you for choosing the Extractor Rod Tool for Ruger® SecuritySix®. This tool is designed to assist you in safely and efficiently removing the extractor rod without damaging your firearm. Please read this safety instruction guide carefully to ensure proper use and compliance with safety regulations.

General Safety Guidelines

- Always use the Extractor Rod Tool in accordance with the manufacturer's instructions.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool before each use to ensure it is in good working condition.
- Do not use the tool for any purpose other than its intended use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure your firearm is unloaded before using the Extractor Rod Tool.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses.
- Use the tool in a welllit and stable environment to avoid accidents.
- Avoid using excessive force when tightening the Allen head screw to prevent damage to the tool or firearm.
- Do not attempt to modify or alter the tool in any way.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather all necessary tools and materials, including the Extractor Rod Tool.

2. Using the Extractor Rod Tool:

- Place the machined aluminum clamp around the extractor rod.
- Use the Allen head screw to tighten the clamp securely, ensuring a nonslip hold.
- Grasp the tool firmly and unscrew the extractor rod from the firearm.
- Once removed, store the extractor rod safely.

3. PostUse:

- Clean the tool after use to maintain its condition.
- Store the tool in a dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Extractor Rod Tool responsibly.
- If the tool is no longer usable, consider recycling it if possible, following local regulations for metal disposal.
- Do not dispose of the tool in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Extractor Rod Tool for Ruger® SecuritySix®, please refer to the manufacturer's website or customer service for additional support.

Thank you for your attention to these safety instructions. Proper use of the Extractor Rod Tool will ensure your safety and the longevity of your firearm.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk