

SCOPE RING ACCESSORIES - BROWNELLS SCOPE RING ALUMINUM LOCKING BAR

[Optics & Mounting](#) > [Optic Accessories](#) > [Electronic Sight Accessories](#)

Replacement nut, crossbolt, and aluminum or steel side locking bars for your Picatinny Scope Rings.



Attributes

- Name: [BROWNELLS SCOPE RING ALUMINUM LOCKING BAR](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000707
- Mfr. No.:
- Colour: Matte Black
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SCOPE RING ACCESSORIES BROWNELLS SCOPE RING ALUMINUM LOCKING BAR](#)
- [About Us](#)

Safety Instruction Guide for SCOPE RING ACCESSORIES BROWNELLS SCOPE RING ALUMINUM LOCKING BAR

Introduction

Thank you for choosing the SCOPE RING ACCESSORIES BROWNELLS SCOPE RING ALUMINUM LOCKING BAR. This product is designed to enhance the functionality of your Picatinny scope rings. This safety instruction guide provides essential information to ensure safe and effective use of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure safe use of the product by following all instructions provided.
- Be aware of potential hazards associated with improper use.
- Regularly check for updates or recalls concerning this product on the EU Safety Gate platform.
- Report any unsafe conditions or accidents to the relevant authorities.
- Keep the product out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Always inspect the product for any damage before use.
- Ensure that the locking bars are securely fastened to avoid any accidental detachment during use.
- Do not exceed the recommended weight limit for your scope rings.
- Use only compatible components when assembling or modifying your scope rings.
- If you experience any issues during installation or use, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components, including the replacement nut, crossbolt, and locking bars.
- Ensure your working area is clean and free of debris.

2. Installation Steps

- Remove the existing locking bars from your Picatinny scope rings.
- Align the new aluminum or steel locking bars with the mounting points on the scope rings.
- Insert the crossbolt through the locking bar and tighten the nut securely.
- Doublecheck that all components are firmly attached and that there is no movement.

3. Usage Tips

- Regularly check the tightness of the locking bars during use, especially after heavy or prolonged use.
- Avoid using excessive force when tightening components to prevent damage.
- Store the product in a dry, cool place when not in use.

Disposal Instructions

- Dispose of the product in accordance with local regulations concerning electronic and aluminum waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding the safety and use of this product, please refer to the manufacturer's contact details provided on the packaging or product documentation.

By following these guidelines and instructions, you can ensure the safe and effective use of your SCOPE RING ACCESSORIES BROWNELLS SCOPE RING ALUMINUM LOCKING BAR. Thank you for prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk