

MAGNA-TIP® BITS - MAGNA-TIP BIT #440-0, SD=PHILLIPS #0

[Gunsmith Tools & Supplies](#) > [General Gunsmith Tools](#) > [Screwdrivers & Sets](#) > [Magna-Tip Bits](#)

State-Of-The-Art Bits For The Gun Shop or Workshop

With Brownells MAGNA-TIP screwdriver, it is now possible for the gunsmith and firearms hobbyist to have a close fit in most any gun screw he will encounter - and darn near everything around the house and garage too. DESIGN OF BIT The TRUE hollow-ground bit transmits all the energy of twist (torque) evenly and smoothly, up the shank of the bit. Not only does hollow grinding permit this power transfer, it also gives complete metal-to-metal contact between the tip of the bit and the entire screw slot. Thus, maximum power can be exerted as in a finely tapered gun spring. So-called "hollow-ground" screwdrivers which have been dubbed off square, result in all torque pressures concentrating at the square edge of the grind along the tip. As every gunsmith knows, such a flaw in a spring results in breakage! Standard, straight-tapered screwdrivers deliver all torque pressures to the fine edge of the screw slot. PLUS, being tapered, the laws of simple physics force the bit OUT of the slot. The complete sets include eleven bits for slotted screws, #1, #2 and #3 Phillips bits, plus ten hex bits for socket head screws. PERFECT FIT You can get even more versatility, and an absolutely perfect bit-to-screw-slot fit by buying extra bits and grinding them to an exact fit using the special Shaping Stone shown on this page. MATERIALS USED The bits used in the Brownells MAGNA-TIP screwdrivers are manufactured expressly for heavy industry. They are used in high-speed, production, impact-power drivers for setting screws in mass production applications. They HAVE to be built with the right combination of hardness and durability to give maximum strength and wear!



Attributes

- Name: [MAGNA-TIP BIT #440-0, SD=PHILLIPS #0](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080440001
- Mfr. No.: D1220XX
- Bit Number: 440-0
- Blade Diameter: -
- Blade Thickness: .142
- Handle: -
- Style: Phillips
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806008786

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MAGNATIP® BITS Safety Instruction Guide](#)
- [About Us](#)

MAGNATIP® BITS Safety Instruction Guide

Introduction

Thank you for choosing the MAGNATIP® BITS MAGNATIP BIT #4400, SD=PHILLIPS #0. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the MAGNATIP bits.

General Safety Guidelines

- Ensure that your work area is clean and welllit to prevent accidents.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using tools.
- Keep the MAGNATIP bits out of reach of children and vulnerable individuals.
- Regularly inspect the bits for any signs of wear or damage before use.
- Do not use the bits for purposes other than intended to avoid accidents and injuries.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always select the correct bit size for the screw to ensure a proper fit and reduce the risk of stripping the screw.
- Avoid applying excessive force when using the screwdriver, as this can lead to breakage or injury.
- Do not use the bits on live electrical circuits or near flammable materials.
- Ensure that the bit is securely attached to the screwdriver before use to prevent it from coming loose during operation.
- When working with screws, maintain a stable grip and posture to avoid slips or falls.

Instructions for Installation and Usage

1. Selecting the Right Bit:

- Choose the appropriate MAGNATIP bit for the screw type you are working with (e.g., Phillips, slotted).
- Verify that the bit number matches the required specifications.

2. Attaching the Bit:

- Insert the selected bit into the MAGNATIP screwdriver.
- Ensure that the bit is fully seated and locked in place.

3. Using the Screwdriver:

- Align the bit with the screw slot.
- Apply gentle pressure while turning the screwdriver in the appropriate direction (clockwise for tightening, counterclockwise for loosening).
- If resistance is felt, stop and reassess the fit before applying more force.

4. Finishing Up:

- Once the screw is secured or removed, carefully detach the bit from the screwdriver.
- Store the bits in a safe, dry place away from moisture and excessive heat.

Disposal Instructions

- Dispose of any damaged or worn bits in accordance with local regulations.
- Recycle packaging materials where possible.
- Do not dispose of bits in household waste if they are hazardous. Check local guidelines for safe disposal options.

Contact Information for Further Support

For any inquiries or concerns regarding the MAGNATIP bits, please contact the manufacturer or refer to the official website for additional support and resources.

By following these safety instructions, you can ensure the safe and effective use of the MAGNATIP® BITS MAGNATIP BIT #4400, SD=PHILLIPS #0. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at