

# HEX PLUG SCREWS - BROWNELLS 6-48 X 1/8" HEX SOCKET PLUG SCREWS 12 PACK

[Gunsmith Tools](#) > [Small Hardware](#) > [Metal Screws](#)

## Keep Dirt & Crud Out Of Unused Screw Holes

Steel, hex-head screws fill the empty sight and scope mounting holes on your rifle or pistol to give a clean, finished look. 6-48 x 1/8" or 8-40 x .130" screws feature a hex-head opening to match other screws on your firearm. Sold in paks of a dozen.



## Attributes

- Name: [BROWNELLS 6-48 X 1/8" HEX SOCKET PLUG SCREWS 12 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080534001
- Mfr. No.:
- Size: Plug Screws
- Quantity: 12
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806015104

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HEX PLUG SCREWS BROWNELLS 648 X 1/8"](#)
- [About Us](#)

# Safety Instruction Guide for HEX PLUG SCREWS BROWNELLS 648 X 1/8"

## Introduction

Thank you for choosing the HEX PLUG SCREWS BROWNELLS 648 X 1/8". This guide provides essential safety information and instructions for the safe use and installation of the product. Please read this guide carefully to ensure proper handling and to minimize risks associated with the use of these screws.

## General Safety Guidelines

- Ensure that the screws are used only for their intended purpose, which is to fill empty sight and scope mounting holes on rifles or pistols.
- Always inspect the screws for defects before use. Do not use screws that are damaged or show signs of wear.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Use appropriate personal protective equipment (PPE) such as safety glasses when installing or handling screws.
- Follow all local regulations regarding the use and disposal of metal products.

## Specific Safety Precautions for Use

- **Identification of Hazards:**
  - Improper installation can lead to loose screws, which may result in injury or damage to the firearm.
  - Sharp edges on screws may cause cuts or puncture wounds.
- **Avoiding Hazards:**
  - Always use the correct size hex tool to avoid stripping the screw head.
  - Do not overtighten screws, as this can damage the screw or the mounting surface.
  - Ensure that the work area is clean and free from distractions while handling and installing screws.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including the appropriate hex tool and a clean cloth for wiping any debris.
- Ensure that the firearm is unloaded and safe to work on.

### 2. Installation:

- Align the hex plug screw with the mounting hole on your firearm.
- Insert the hex tool into the screw head and turn clockwise to begin installation.
- Tighten the screw until it is snug, but do not overtighten to avoid damaging the screw or the firearm.
- Repeat the process for each screw as needed.

### 3. PostInstallation Check:

- Once all screws are installed, visually inspect each screw to ensure they are properly seated.
- Test the stability of the installation by gently pulling on the mounted accessory to ensure it is

secure.

## **Disposal Instructions**

- Dispose of any unused or damaged screws in accordance with local waste disposal regulations.
- Do not dispose of screws in a manner that could pose a risk to the environment or public safety.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and use of HEX PLUG SCREWS BROWNELLS 648 X 1/8", please refer to the contact information provided on the packaging or the manufacturer's website.

By following these guidelines and instructions, you can ensure the safe and effective use of your HEX PLUG SCREWS. Thank you for prioritizing safety and quality in your firearm maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)