

M14 GAS CYLINDER SHIMS - FULTON ARMORY SPRINGFIELD M14 GAS CYLINDER SHIM SET

[Home](#)

Helps Eliminate Gas Cylinder Movement For Improved Accuracy

Stainless steel gas cylinder shims align the barrel and gas cylinder ports when accuracy-tuning the rifle. Install one or more shims to get a tight fit and to eliminate front/rear cylinder play.



Attributes

- Name: [FULTON ARMORY SPRINGFIELD M14 GAS CYLINDER SHIM SET](#)
- Manufacturer: [FULTON ARMORY](#)
- Product no.: 100005281
- Mfr. No.: FA-M-058
- Model: M14
- Weapon type: Springfield
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [M14 Gas Cylinder Shims Safety Instruction Guide](#)
- [About Us](#)

M14 Gas Cylinder Shims Safety Instruction Guide

Introduction

Thank you for choosing the M14 Gas Cylinder Shims from Fulton Armory. These stainless steel shims are designed to align the barrel and gas cylinder ports of your Springfield M14 rifle, ensuring enhanced accuracy and performance. This guide provides essential safety instructions and guidelines to help you use this product safely and effectively.

General Safety Guidelines

- Ensure that all safety measures are followed during the installation and use of the gas cylinder shims.
- Always handle the shims with care to avoid injury or damage to the product.
- Keep the shims out of reach of children and vulnerable individuals.
- Regularly inspect the shims for wear or damage before use.
- If you encounter any issues or have safety concerns, seek professional assistance.

Specific Safety Precautions for Use

- Use the shims only with the Springfield M14 gas cylinder.
- Avoid using excessive force during installation to prevent damage to the shims or the rifle.
- Do not modify the shims in any way, as this may compromise their effectiveness and safety.
- Ensure that the rifle is unloaded and cleared of ammunition before beginning any installation process.
- Wear appropriate safety gear, such as gloves and safety glasses, when handling the shims.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components for installation.
- Ensure that the rifle is in a safe, stable position.

2. Installation Steps:

- Identify the gas cylinder area on your Springfield M14 rifle.
- Select the appropriate shim thickness (.005", .010", or .015") based on your alignment needs.
- Carefully insert the shim(s) between the barrel and gas cylinder, ensuring a snug fit.
- Check for any movement or play in the gas cylinder. Adjust the number of shims as necessary to achieve a tight fit.
- Once satisfied with the alignment, securely fasten the gas cylinder in place.

3. PostInstallation Check:

- After installation, inspect the rifle to ensure that all components are properly secured.
- Test the rifle in a safe environment to confirm that the alignment has improved accuracy.

Disposal Instructions

- Dispose of any used or damaged shims in accordance with local regulations.
- Do not throw shims in regular household waste; check for recycling options where applicable.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please reach out to your local distributor or the manufacturer's support team. Always refer to the product packaging for additional information.

Thank you for your attention to these safety instructions. Enjoy your enhanced shooting experience with the M14 Gas Cylinder Shims from Fulton Armory.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk