

M1 GARAND HEAVY-DUTY CLIP LATCH SPRING - FULTON ARMORY CLIP LATCH SPRING

[Home](#)

Helps Prevent Premature Clip & Ammo Ejection

Heavy-duty clip latch spring replaces a worn or bent spring in M1 Garand rifles and helps prevent premature clip or ammo ejection. Ready to install.



Attributes

- Name: [FULTON ARMORY CLIP LATCH SPRING](#)
- Manufacturer: [FULTON ARMORY](#)
- Product no.: 100005287
- Mfr. No.:
- Make: Springfield
- Model: M1 Garand
- Delivery weight: 0.005kg

Item details

Made in USA

Table of Contents

- Startpage
- M1 Garand HeavyDuty Clip Latch Spring Safety Instructions
- About Us

M1 Garand HeavyDuty Clip Latch Spring Safety Instructions

Introduction

Thank you for choosing the M1 Garand HeavyDuty Clip Latch Spring by Fulton Armory. This product is designed to replace a worn or bent spring in M1 Garand rifles, enhancing performance and preventing premature clip or ammo ejection. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is installed correctly to avoid malfunction.
- Always handle firearms with care and follow all safety protocols.
- Store the spring in a safe place, away from children and pets.
- Regularly inspect your firearm and its components for wear and damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use this spring with M1 Garand rifles manufactured by Springfield.
- Do not attempt to modify or alter the spring in any way.
- Ensure that the rifle is unloaded before starting any installation or maintenance work.
- Wear safety glasses to protect your eyes when working on your firearm.
- Keep your work area clean and organized to prevent accidents.

Instructions for Installation and Usage

1. Preparation

- Ensure that your M1 Garand rifle is completely unloaded.
- Gather necessary tools for installation, such as screwdrivers and pliers.

2. Removal of Old Spring

- Carefully remove the existing clip latch spring from the rifle.
- Take note of how the old spring is positioned for reference.

3. Installation of New Spring

- Align the new M1 Garand HeavyDuty Clip Latch Spring with the existing mounting points.
- Gently insert the spring into place, ensuring it fits snugly.
- Verify that the spring is securely installed and functions correctly.

4. Final Check

- Test the clip latch mechanism to ensure proper operation.
- Inspect the installation to confirm that there are no loose parts.

Disposal Instructions

- Dispose of any old springs and packaging materials in accordance with local regulations.

- Do not dispose of the product in household waste. Check for recycling options in your area.

Contact Information for Further Support

For any questions or concerns regarding the M1 Garand HeavyDuty Clip Latch Spring, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy your enhanced M1 Garand rifle experience!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu