


AR-15/M16 TWO-PIECE CARBINE LENGTH FREE-FLOAT FOREND - MIDWEST INDUSTRIES GEN 2, 2-PIECE MID-LENGTH FREE-FLOAT FOREND

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Free Float Design Clamps On To Relieve Stress

Quality, two-piece free-float forend clamps firmly in place without having to remove the barrel or front sight. Simply cut off the delta ring, install and you'll experience better accuracy at the range and in tactical situations with significantly less stress on your barrel. Four Picatinny 1913 rails with fifteen mounting slots are laser etched with letters and numbers for precise mounting and remounting of all your accessories. Available in four lengths.



Attributes

- Name: [MIDWEST INDUSTRIES GEN 2, 2-PIECE MID-LENGTH FREE-FLOAT FOREND](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100008891
- Mfr. No.: MCTAR-21G2
- Colour: Black
- Length: 9
- Material: Aluminum
- Style: Picatinny
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 130mm
- Shipping length: 310mm
- UPC: 816537012207

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 TwoPiece Carbine Length FreeFloat Forend
- About Us

Safety Instruction Guide for AR15/M16 TwoPiece Carbine Length FreeFloat Forend

Introduction

Thank you for choosing the AR15/M16 TwoPiece Carbine Length FreeFloat Forend by Midwest Industries. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of wear or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about any recalls or safety updates related to this product through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or modifying the forend.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Use protective eyewear when installing the forend to prevent injury from metal shavings or debris.
- Do not attempt to install the forend if you are not familiar with firearm assembly. Seek assistance from a qualified gunsmith if necessary.
- Avoid using excessive force during installation to prevent damage to the firearm or forend.
- Ensure that the forend is securely attached before use to prevent it from becoming loose during operation.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure that the firearm is completely unloaded.
- Gather necessary tools, including a wrench for removing the delta ring.

2. Remove the Delta Ring:

- Using the appropriate tool, carefully cut off the delta ring from the firearm.

3. Install the Forend:

- Align the forend with the existing OEM barrel nut.
- Slide the forend over the barrel nut without removing the front sight base.
- Ensure that it is positioned correctly and securely.

4. Secure the Forend:

- Tighten any necessary screws or clamps to ensure that the forend is firmly in place.
- Check that the forend does not move or wobble when properly installed.

5. Final Check:

- Inspect the installation to ensure that everything is secure and properly aligned.
- Conduct a function check of the firearm to ensure safe operation.

Usage

- Always handle your firearm responsibly and in accordance with standard safety practices.
- Regularly check the stability of the forend during use, especially after extended firing sessions.
- If you notice any issues with the forend, cease use immediately and inspect for damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum and firearm accessories.
- Do not dispose of the product in regular household waste. Instead, consider recycling options for aluminum components.

Contact Information for Further Support

For further inquiries or assistance regarding safety concerns, installation, or usage of the AR15/M16 TwoPiece Carbine Length FreeFloat Forend, please refer to the manufacturer's contact information provided with the product.

By adhering to these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your AR15/M16 TwoPiece Carbine Length FreeFloat Forend. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk