

MS1/MS4® QD APAPTER FITS QD SWIVEL FOR 2-TO-1 PT SLING CONVERT - MAGPUL MS1/MS4 QD ADAPT FITS QD SWIVEL FOR 2- TO 1-POINT CONVERT BLK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

Combine with the MS1® Sling and QD Sling Swivel to provide two to one-point convertibility. Constructed of QPQ salt bath nitride and manganese phosphate finished steel with custom, snag-free, high durability 1-1/4" webbing. Made in the USA. NSN: MAG519-COY 1005-01-665-9430 DURABLE CONSTRUCTION Custom 1.25 inch wide nylon webbing material is strong and wear resistant Colored webbing has Near Infrared (NIR) treatment to reduce IR signature QPQ salt bath nitride and phosphate finished steel for corrosion resistance SIMPLE, STRONG, SECURE Combine with the MS1 Sling and additional QD Sling Swivel to provide fast transition between one-point and two-point configuration Heavy-duty push-button QD Sling Swivel for one-point attachment QD Sling Swivels and ambidextrous QD shackle allows easy convertability and provides weapon quick-release capabilities in an emergency Attachment: QD Cups & Sockets SLING ASSEMBLY MOUNTING REAR - Works with receivers, end plates, and buttstocks that have a push-button QD socket for one-point attachment. FRONT - Using optional QD Sling Swivel, compatible with the Magpul RSA®-QD and Forward Sling Mounts, as well as most other push-button QD sockets for use in two-point mode.



Attributes

- Name: [MAGPUL MS1/MS4 QD ADAPT FITS QD SWIVEL FOR 2-TO 1-POINT CONVERT BLK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100013933
- Mfr. No.: MAG519-BLK
- Colour: Black
- Material: Nylon
- Style: 2-point Sling
- Width: 1-1/4"
- Delivery weight: 0.091kg
- Shipping height: 6mm
- Shipping width: 133mm
- Shipping length: 241mm
- UPC: 873750010823

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MS1/MS4® QD Adapter](#)
- [About Us](#)

Safety Instruction Guide for MS1/MS4® QD Adapter

Introduction

Thank you for choosing the MS1/MS4® QD Adapter, designed to enhance your slinging experience by providing two-point convertibility. This guide outlines important safety information and instructions to ensure safe use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure safe use of the MS1/MS4® QD Adapter by following the guidelines below:
 - Always inspect the adapter for any signs of wear or damage before each use.
 - Use the adapter only with compatible slings and QD swivel systems.
 - Keep the adapter out of reach of children and individuals who may not understand its proper use.
 - Do not modify the adapter or use it for purposes other than intended.
 - In case of any malfunction or damage, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- To minimize risks associated with the MS1/MS4® QD Adapter:
 - Ensure that all connections are secure before use.
 - Do not exceed the weight limit recommended by the sling manufacturer.
 - Avoid placing any part of your body in the line of fire while using the adapter.
 - Be aware of your surroundings and ensure that the area is clear when transitioning between one-point and two-point configurations.
 - If using in a tactical environment, ensure that the adapter does not snag on obstacles.

Instructions for Installation and Usage

Installation

1. Attach the QD Sling Swivel:

- Locate the QD socket on your weapon or attachment point.
- Align the QD Sling Swivel with the socket and push it in until you hear a click, indicating it is securely attached.

2. Connect the Sling:

- Attach one end of the MS1 Sling to the QD Sling Swivel.
- Ensure that the sling is threaded correctly through any necessary loops or rings.

3. Adjust the Length:

- Adjust the length of the sling as needed for comfort and accessibility.
- Ensure that the sling allows for quick transitions between one-point and two-point configurations.

Usage

• Transitioning Between Configurations:

- To switch from one-point to two-point configuration, simply detach the QD Sling Swivel from the

adapter and reattach as needed.

- Always ensure that the adapter is securely fastened before use.

- **Maintenance:**

- Regularly check the adapter and sling for signs of wear or damage.
- Clean the adapter and sling with a damp cloth and mild soap as needed.
- Store the adapter in a cool, dry place when not in use.

Disposal Instructions

- When the MS1/MS4® QD Adapter reaches the end of its life cycle:
 - Dispose of the adapter in accordance with local regulations for textile and metal waste.
 - Do not dispose of the product in regular household waste.

Contact Information for Further Support

- For any safety inquiries or product support, please refer to the manufacturer's contact information provided with your purchase.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective experience with your MS1/MS4® QD Adapter.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk