

MS3® GEN2 MULTI-MISSION SINGLE/TWO-POINT RIFLE SLING - MAGPUL MS3 GEN2 MULTI MISSION ONE/TWO-POINT RIFLE SLING RANGER GRN

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

For Split-Second, Cross-Shoulder Transitions In Rapidly Changing Tactical Environments

The MS3 Multi-Mission Sling System was designed to give a versatile weapon-retention solution for a multitude of tactical environments and missions. As a standalone product, the rapidly-convertible MS3 allows an operator to leverage the maneuverability of one-point attachment for direct action, or two-point attachment for stability. Single-hand adjustments and quick-release, positive-locking hardware provide flexibility and durability in a truly adaptable sling system. Used in conjunction with the optional Magpul ASAP® plate, the MS3 sling enables seamless transitions into an array of shooting positions without getting bound or fouled. The MS3 concept allows switching from Weapon Shoulder to Reaction Shoulder for shooting around corners, under vehicles, or to minimize exposure. The MS3 can also increase operator survivability by keeping the weapon in the fight in case of injury to the operator's shoulder, arm, or hand. The MS3 GEN2 incorporates a new low profile quick-adjust slider which minimizes bulk and allows for secure, yet effortless, sling adjustment. Webbing length has also been increased for a comfortable fit with all body types and armor configurations. Made in USA and 100% Berry Amendment compliant. NSN: MAG514-BLK 1005-01-640-9861
NSN: MAG514-COY 1005-01-630-9170 RUGGED POLYMER AND
INDESTRUCTIBLE HARDWARE Light weight yet durable hardware made with hardened steel and heavy-duty polymer Cross-Bolt Lock Bar in each Paraclip allows the user to optionally lock its lever closed for extra security Steel
Paraclip levers are case hardened and finished with a QPQ salt bath nitride process for extreme resistance to wear and corrosion SNAG-FREE, HIGH
DURABILITY WEBBING Custom 1.25 inch wide nylon webbing material is strong and wear resistant while remaining anti-chaff for user comfort No tails, loops, or other potential snag hazards Colored webbing has Near Infrared (NIR) treatment to reduce IR signature ADJUSTS TO YOUR NEEDS Custom snag-free high-durability 1-1/4" webbing Fast transition between a one-point sling and two-point sling Symmetrical Paraclip™ shackles allows for easy transition and provides weapon quick-release capabilities in an emergency Low-profile
adjustment Slider for adding or removing sling tension in two-point mode with a single-hand SPECS Length, Overall Nominal: 48-60 in. ± 5 in. adjustment
Slider Adjustment Range: 10 in. Width, Webbing: 1.25" SLING MOUNTING
REAR - Works with the Magpul ASAP® for optimal shoulder transitioning in one-point mode as well as SGA® Receiver Sling Mounts. Also compatible with many snap-hook style sling loops* and standard or QD sling swivels. FRONT - Compatible with the Magpul RSA®, M-LOK® Paraclip™ Sling Mount, MSA®, and shotgun Forward Sling Mounts, as well as many snap-hook style sling loops* and standard or QD sling swivels for use in two-point mode. * Snap-hook style sling loops with an inner diameter of at least 3/8" are required, but 9/16" and larger will provide full range of motion.



Attributes

- Name: [MAGPUL MS3 GEN2 MULTI MISSION ONE/TWO-POINT RIFLE SLING RANGER GRN](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100013975
- Mfr. No.: MAG514-RGR
- Colour: Ranger Green
- Material: Nylon
- Style: 1-point Sling,2-point Sling
- Width: 1-1/4"
- Delivery weight: 0.272kg
- Shipping height: 51mm
- Shipping width: 114mm
- Shipping length: 445mm
- UPC: 873750010694

Item details

Made in USA

Table of Contents

- Startpage
- MS3 GEN2 MultiMission Single/TwoPoint Rifle Sling Safety Instructions
- About Us

MS3 GEN2 MultiMission Single/TwoPoint Rifle Sling Safety Instructions

Introduction

Thank you for choosing the MS3 GEN2 MultiMission Single/TwoPoint Rifle Sling by Magpul. This safety instruction guide is designed to ensure the safe use of your sling and to help you understand its features and capabilities. Please read this guide carefully before using the product.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the sling in various tactical environments and missions. Familiarize yourself with the product features and potential hazards.
- **Enhanced Recalls:** Stay informed about any product recalls. Should a recall occur, follow the instructions provided for a remedy.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety regulations similar to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Regularly check the EU's Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Proper Use:** Always use the sling as intended. This sling is designed for tactical use and should not be misused in any way.
- **Check for Wear and Tear:** Before each use, inspect the sling for any signs of damage, wear, or malfunction. Do not use if any part appears compromised.
- **Secure Attachment:** Ensure that the sling is securely attached to your weapon before use. Loose attachments can lead to accidents or loss of control.
- **Avoid Snag Hazards:** Be aware of your surroundings and avoid areas where the sling could snag, which may lead to accidents.
- **Adjustment Caution:** When adjusting the sling, ensure that no body part is caught in the mechanism to avoid injury.
- **Weight Limit:** Be aware of the weight of the weapon being used with the sling. Overloading may compromise the sling's integrity.
- **Use in Controlled Environments:** Use the sling in environments that allow for safe maneuvering and shooting, minimizing the risk of accidents.

Instructions for Installation and Usage

Installation

1. **Identify Mounting Points:** Locate the appropriate sling mounting points on your weapon. These may include the Magpul ASAP® or other compatible mounts.
2. **Attach the Sling:**
 - For rear attachment, connect the sling to the Magpul ASAP® or SGA® Receiver Sling Mounts.
 - For front attachment, connect to the Magpul RSA® or MLOK® Paraclip™ Sling Mount.
3. **Secure the Connections:** Ensure that all connections are tight and secure. Check that the Paraclip™ shackles are properly engaged.

Usage

- 1. Adjusting the Sling:**
 - To switch between onepoint and twopoint configurations, follow the instructions for adjusting the Paraclip™ shackles.
 - Utilize the lowprofile quickadjust slider to achieve the desired length and tension.
- 2. Transitioning Shoulders:** Practice transitioning the sling from one shoulder to another to become familiar with its operation and enhance maneuverability.
- 3. Shooting Positions:** Use the sling to stabilize your weapon in various shooting positions. Ensure the sling does not obstruct your line of sight or movement.

Disposal Instructions

- **Responsible Disposal:** When disposing of the sling, follow local regulations for the disposal of textile and polymer materials.
- **Recycling Options:** Consider recycling the sling if possible, as some components may be recyclable. Check with local recycling centers for guidance.

Contact Information for Further Support

For any questions or concerns regarding the MS3 GEN2 MultiMission Single/TwoPoint Rifle Sling, please refer to the contact information provided by the retailer or manufacturer.

By following these safety instructions, you can ensure a secure and effective experience with your MS3 GEN2 MultiMission Sling. Thank you for your attention to safety and responsible use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk