

# TSR PICATINNY SCOPE RINGS - TPS PRODUCTS 35MM LOW (1.025") ALUMINUM RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

## Super Holding Power, Precision Alignment

TSR Series Rings, precisely machined from an aluminum billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Mil-STD 1913 (Picatinny) bases.



## Attributes

- Name: [TPS PRODUCTS 35MM LOW \(1.025"\) ALUMINUM RINGS](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100020394
- Mfr. No.: 30795
- Height: 1.025"
- Material: Aluminum
- Scope Tube Diameter: 35mm
- Size: Low
- Delivery weight: 0.15kg
- Shipping height: 57mm
- Shipping width: 57mm
- Shipping length: 91mm
- UPC: 071611307956

## Item details

Made in USA

# Table of Contents

- Startpage
- TSR Picatinny Scope Rings Safety Instruction Guide
- About Us

# TSR Picatinny Scope Rings Safety Instruction Guide

## Introduction

Thank you for choosing the TSR Picatinny Scope Rings by TPS Products. This guide provides essential safety instructions and information to ensure the safe and effective use of your scope rings. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Always ensure that the scope rings are compatible with your scope and firearm.
- Inspect the scope rings for any damage or defects before use.
- Follow all local laws and regulations regarding firearm accessories.
- Keep the scope rings and all related equipment out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the scope is securely mounted in the rings to prevent movement during use.
- Do not exceed the recommended torque specifications when tightening the clampnut to avoid damaging the rings or the firearm.
- Be cautious of sharp edges during installation and handling.
- Always use appropriate safety gear, such as eye protection, when handling firearms.
- If you experience any issues with the scope rings, discontinue use immediately and seek assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure the firearm is unloaded and pointed in a safe direction.

### 2. Installation:

- Place the scope rings onto the Picatinny base, ensuring they are aligned correctly.
- Insert the screws into the cap of the rings and handtighten them.
- Align the scope reticle, then tighten the left side of the cap first, followed by the right side to prevent scope rotation.
- Use the torque wrench to tighten the clampnut to the recommended specifications.

### 3. Usage:

- After installation, check the stability of the scope and rings before each use.
- Regularly inspect the scope rings for any signs of wear or loosening.

## Disposal Instructions

- Dispose of the scope rings in accordance with local regulations.
- If the product is damaged or no longer usable, please recycle materials when possible.

## **Contact Information for Further Support**

For any inquiries or assistance regarding the TSR Picatinny Scope Rings, please refer to the contact information provided by your retailer or manufacturer.

Please ensure that you keep this safety instruction guide for future reference. Your safety and satisfaction are our top priorities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)