

TSR-W PICATINNY/WEAVER SCOPE RINGS - TPS PRODUCTS TSR-W STEEL RINGS 34MM LOW

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

TSR "W" Series Rings, precisely machined from an alloy steel billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Weaver-style or Mil-STD 1913 (Picatinny) bases.



Attributes

- Name: [TPS PRODUCTS TSR-W STEEL RINGS 34MM LOW](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100020414
- Mfr. No.: 30690
- Height: 1.025"
- Material: Steel
- Scope Tube Diameter: 34mm
- Size: Low
- Style: Steel
- Delivery weight: 0.259kg
- Shipping height: 57mm
- Shipping width: 57mm
- Shipping length: 91mm
- UPC: 071611306904

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide](#)
- [About Us](#)

TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide

Introduction

Thank you for choosing the TSRW Picatinny/Weaver Scope Rings by TPS Products. This guide provides essential safety instructions and information to ensure the safe and effective use of your scope rings. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the scope rings are compatible with your scope and firearm.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the scope rings regularly for wear or damage.
- Store the scope rings in a dry, cool place when not in use.
- Keep the scope rings out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Use appropriate tools to avoid damaging the scope rings or firearm.
 - Ensure the firearm is unloaded before installation.
- **Usage Safety:**
 - Do not exceed the recommended torque specifications when tightening the rings.
 - Regularly check the alignment of the scope and the tightness of the rings during use.
- **Hazard Awareness:**
 - Be aware of the potential for recoil; ensure the scope is securely mounted to prevent movement.
 - Avoid using the scope rings under extreme conditions that may compromise their integrity.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Place the scope rings onto the Picatinny/Weaver base.
- Align the scope tube in the rings, ensuring it is level.
- Tighten the left side of the ring cap first, followed by the right side, ensuring not to rotate the scope.
- Use a torque wrench to tighten the clampnut to the manufacturer's specifications (consult the product specifications for details).

2. Usage:

- After installation, check the alignment of the reticle.
- Regularly inspect the scope rings for any signs of wear or damage.
- Make adjustments to the scope as needed based on your shooting requirements.

Disposal Instructions

- Dispose of the scope rings according to local regulations.
- If the scope rings are damaged or no longer usable, please ensure they are disposed of in an environmentally friendly manner.

Contact Information for Further Support

For any questions or concerns regarding the TSRW Picatinny/Weaver Scope Rings, please refer to the manufacturer's contact information provided in the product packaging or visit the manufacturer's website for further assistance.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the TSRW Picatinny/Weaver Scope Rings.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk