

# TSR-W PICATINNY/WEAVER SCOPE RINGS - TPS PRODUCTS TSR-W ALUMINUM RINGS 30MM X-HIGH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

TSR "W" Series Rings, precisely machined from an alloy steel billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Weaver-style or Mil-STD 1913 (Picatinny) bases.



## Attributes

- Name: [TPS PRODUCTS TSR-W ALUMINUM RINGS 30MM X-HIGH](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100020424
- Mfr. No.: 30683
- Finish: -
- Height: 1.4"
- Material: -
- Scope Tube Diameter: 30mm
- Size: Extra High
- Style: -
- Delivery weight: 0.163kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 95mm
- UPC: 071611306836

## Item details

Made in USA

# Table of Contents

- Startpage
- TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide
- About Us

# TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide

## Introduction

Thank you for choosing the TSRW Picatinny/Weaver Scope Rings from TPS Products. This guide provides essential safety instructions, installation procedures, and usage tips to ensure your scope rings are used safely and effectively. Please read this guide thoroughly before using the product.

## General Safety Guidelines

- Always ensure that the scope rings are compatible with your scope and firearm.
- Inspect the scope rings for any damage or defects before installation.
- Ensure that the scope rings are securely tightened to prevent any movement during use.
- Keep the scope rings out of reach of children and pets.
- If you experience any issues or feel uncertain about the installation or use, seek professional assistance.

## Specific Safety Precautions for Use

- Avoid using the scope rings with a scope that exceeds the manufacturer's recommended specifications.
- Be cautious when adjusting the scope to avoid losing sight alignment.
- Regularly check the tightness of the screws to ensure they have not loosened during use.
- Do not exceed the recommended torque specifications when tightening the clampnut.
- If the scope rings are exposed to extreme temperatures or conditions, inspect them before use.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including a screwdriver and torque wrench.
- Ensure that the workspace is clean and free of debris.

### 2. Installation

- Place the scope rings on the base of your firearm, aligning them with the Picatinny or Weaver rail.
- Use the fourscrew cap to secure the scope in place.
- Align the reticle by tightening the left side of the cap first, followed by the right side, ensuring the scope does not rotate.
- Tighten the clampnut to secure the rings to the base, following the manufacturer's torque specifications.

### 3. Usage

- Once installed, check the alignment of the scope and make any necessary adjustments.
- Ensure that the scope rings maintain a firm grip on the scope during recoil.
- Regularly inspect the setup to ensure everything remains secure and functional.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer in use, consider recycling the materials if possible.

## **Contact Information for Further Support**

For any inquiries regarding safety, installation, or product support, please refer to the contact details provided by the retailer or manufacturer.

Thank you for your attention to these safety instructions. Enjoy using your TSRW Picatinny/Weaver Scope Rings safely and effectively.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)