

TSR-W PICATINNY/WEAVER SCOPE RINGS - TPS PRODUCTS TSR-W ALUMINUM RINGS 34MM LOW

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

TSR "W" Series Rings, precisely machined from an alloy steel billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Weaver-style or Mil-STD 1913 (Picatinny) bases.



Attributes

- Name: [TPS PRODUCTS TSR-W ALUMINUM RINGS 34MM LOW](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100020425
- Mfr. No.: 30695
- Finish: -
- Height: 1.025"
- Material: -
- Scope Tube Diameter: 34mm
- Size: Low
- Style: -
- Delivery weight: 0.045kg
- Shipping height: 58mm
- Shipping width: 58mm
- Shipping length: 97mm
- UPC: 071611306959

Item details

Made in USA

Table of Contents

- Startpage
- TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide
- About Us

TSRW Picatinny/Weaver Scope Rings Safety Instruction Guide

Introduction

Thank you for purchasing the TSRW Picatinny/Weaver Scope Rings by TPS Products. This guide provides essential safety instructions to ensure the safe use and installation of your scope rings. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the scope rings for any signs of wear or damage.
- Use the product in accordance with the manufacturer's instructions.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the scope is properly secured to the rings before use.
- Do not exceed the recommended torque specifications when installing the rings.
- Avoid using the scope rings in extreme temperatures or harsh environmental conditions.
- Be aware of your surroundings when using firearms equipped with scopes to prevent accidents.
- If you notice any unusual movement or instability in the scope, discontinue use immediately and inspect the installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.

2. Installation:

- Align the scope rings onto the Picatinny or Weaver base.
- Carefully place the scope into the rings, ensuring it is centered.
- Use the fourscrew cap to secure the scope:
 - Tighten the left side of the cap first.
 - Follow by tightening the right side to prevent the scope from rotating.
- Use a torque wrench to ensure proper tightening without overtorquing.

3. Usage:

- After installation, check that the scope is securely held in place.
- Make any necessary adjustments to the reticle before using the firearm.
- Regularly check the tightness of the rings, especially after heavy use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact details provided with your product packaging or on the manufacturer's website.

Thank you for following these safety instructions. Your adherence to these guidelines will help ensure a safe and enjoyable experience with your TSRW Picatinny/Weaver Scope Rings.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk