

AR-15 CQB STOCK REPLACEMENT JP SILENT CAPTURED SPRING SYSTEMS - MAXIM DEFENSE INDUSTRIES HEAVY MAXIM DEFENSE CQB JP SILENT CAPTURED SPRING SYSTEM

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

MAXIM DEFENSE INDUSTRIES AR-15 CQB STOCK REPLACEMENT JP SILENT CAPTURED SPRING SYSTEMS Designed for the Maxim Defense CQB Stock, the Silent Captured Springs are Maxim exclusives made by JP Rifles. By eliminating the friction found in standard buffer setups, the JP Silent Captured Spring also allows for smoother action resulting in less sound as the bolt cycles. Available in a Standard weight and a Heavy weight for select fire platforms version. JP Heavy (2 weight) is equal to a 4.0oz buffer weight JP Standard (2 weight) is equal to a 3.3oz buffer weight.



Attributes

- Name: [MAXIM DEFENSE INDUSTRIES HEAVY MAXIM DEFENSE CQB JP SILENT CAPTURED SPRING SYSTEM](#)
- Manufacturer: [MAXIM DEFENSE INDUSTRIES](#)
- Product no.: 100020896
- Mfr. No.: 680017475710
- Weapon type: AR-15
- Delivery weight: 0.358kg
- Shipping height: 95mm
- Shipping width: 121mm
- Shipping length: 298mm
- UPC: 685239761191

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 CQB Stock Replacement with JP Silent Captured Spring Systems](#)
- [About Us](#)

Safety Instruction Guide for AR15 CQB Stock Replacement with JP Silent Captured Spring Systems

Introduction

Thank you for choosing the AR15 CQB Stock Replacement with JP Silent Captured Spring Systems from Maxim Defense Industries. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use to understand how to operate the product safely and efficiently.

General Safety Guidelines

- Ensure that the product is used only in accordance with the manufacturer's instructions.
- Always handle the product with care and ensure that it is stored securely when not in use.
- Regularly inspect the product for any signs of wear or damage. If any issues are found, discontinue use immediately.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not modify the product in any way, as this may lead to malfunctions or safety hazards.
- Always wear appropriate safety gear, including eye protection, when using the product.
- Ensure that the product is compatible with your firearm before installation.
- Follow all local laws and regulations regarding the use of firearms and accessories.
- Be aware of your surroundings and ensure that the area is clear of unauthorized individuals when using the product.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure you have all necessary tools and components before starting the installation.
- Make sure your firearm is unloaded and pointed in a safe direction.

2. Remove Existing Stock:

- Use the appropriate tools to remove the existing stock from your AR15.
- Keep all screws and components in a safe place for potential future use.

3. Install the JP Silent Captured Spring:

- Take the JP Silent Captured Spring and align it with the buffer tube.
- Carefully insert the spring into the buffer tube, ensuring it is seated properly.

4. Attach the CQB Stock:

- Position the CQB Stock onto the buffer tube.
- Secure the stock using the provided screws, ensuring a tight fit without overtorquing.

5. Final Check:

- Inspect the installation to ensure all parts are secure and properly aligned.
- Test the action of the stock to ensure smooth operation.

Usage Instructions

- Always ensure your firearm is in a safe condition before handling or using the stock.
- Familiarize yourself with the operation of your firearm and the new stock system.
- Practice safe shooting habits at all times, including keeping the firearm pointed in a safe direction and keeping your finger off the trigger until ready to shoot.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the product is no longer in use or is damaged beyond repair, dispose of it in a manner that prevents unauthorized use.
- Consider recycling components where possible, following local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the product, please refer to the manufacturer's website or contact their customer support for assistance. Ensure you have your product details ready for a more efficient response.

Please remember that safety is paramount when using firearms and related accessories. By following these guidelines, you can help ensure a safe and enjoyable experience with your AR15 CQB Stock Replacement with JP Silent Captured Spring Systems.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk