

AR-15 BOLT CATCH - LUTH-AR AR-15 BOLT CATCH

[Home](#)

Luth-AR factory replacement Bolt Catch. Fits standard AR-15 rifles.



Attributes

- Name: [LUTH-AR AR-15 BOLT CATCH](#)
- Manufacturer: [LUTH-AR](#)
- Product no.: 100028035
- Mfr. No.: LR11
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 859819007423

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Bolt Catch by LuthAR
- About Us

Safety Instruction Guide for AR15 Bolt Catch by LuthAR

Introduction

Thank you for choosing the LuthAR AR15 Bolt Catch. This product is designed to provide reliable performance for your standard AR15 rifle. To ensure safe and effective use, please read and follow the safety guidelines and instructions outlined in this document.

General Safety Guidelines

- Ensure that the product is compatible with your specific AR15 model before installation.
- Always handle firearms and firearm components with care and respect.
- Keep the Bolt Catch and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the Bolt Catch for wear or damage. Do not use if damaged.
- Always follow all local laws and regulations regarding firearm modifications and use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only with standard AR15 rifles to avoid compatibility issues.
- Do not modify the Bolt Catch in any way, as this may compromise safety and performance.
- Ensure the firearm is unloaded before installing or replacing the Bolt Catch.
- Wear safety glasses when working on your firearm to protect your eyes from debris.
- Always doublecheck that the Bolt Catch is securely installed before using the firearm.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure your AR15 rifle is unloaded and pointed in a safe direction.
- Gather necessary tools: a punch tool and a hammer.

2. Remove the Old Bolt Catch:

- Locate the roll pin securing the old Bolt Catch.
- Use the punch tool and hammer to carefully drive out the roll pin.
- Remove the old Bolt Catch from the receiver.

3. Install the New Bolt Catch:

- Position the new LuthAR Bolt Catch in the receiver.
- Align the holes for the roll pin.
- Insert the roll pin and use the punch tool and hammer to secure it in place. Ensure it is flush with the surface.

4. Testing:

- After installation, test the Bolt Catch by manually cycling the action to ensure proper functionality.
- Confirm that the Bolt Catch engages and releases correctly.

Usage Instructions

- To use the Bolt Catch, pull the charging handle to the rear and release it. The Bolt Catch should engage and hold the bolt open.
- To release the bolt, simply press the Bolt Catch down. The bolt will move forward into battery.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm components.
- Do not simply throw the product in regular waste. Check for any specific disposal guidelines for firearm parts in your area.

Contact Information for Further Support

For any questions or concerns regarding the LuthAR AR15 Bolt Catch, please refer to the manufacturer's website or contact their customer support for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk