

"BLAST SHIELD" MAG DISCONNECT REPLACEMENT, RUGER® MKIV/MKIV 22/45 - TANDEMROSS "BLAST SHIELD" MAG DISCONNECT REPLACEMENT RUGER®

[Handgun Parts](#) > [Frame Parts](#) > [Magazine Release Parts](#) > [Magazine Release Springs](#)

At a glance: Allows for safe removal of the magazine disconnect Facilitates proper magazine alignment Shields sear and hammer from debris, boosting performance While the Ruger® MKIV is already a popular pistol for rimfire shooting sports, even a good gun can be made great! The new TANDEMROSS "Blast Shield" MKIV Magazine Disconnect Replacement is an easy upgrade for your Ruger® MKIV or MKIV 22/45, allowing for the safe removal of the magazine disconnect and offering other great benefits to boost performance for competitive shooting or weekend plinking. The unique design of the MKIV magazine disconnect replacement not only allows the gun to fire whether or not a magazine is inserted, it also facilitates proper magazine alignment and shields the sear and hammer from debris, boosting the overall performance of your pistol with a simple, drop-in part. The "Blast Shield" Ruger® MKIV magazine disconnect replacement will work with the Volquartsen sear and disconnector, but was designed to work with the factory hammer. Upgrade your Ruger® MKIV accessories with the TANDEMROSS "Blast Shield" Magazine Disconnect Replacement and install performance in your Ruger® MKIV and MKIV 22/45!



Attributes

- Name: [TANDEMROSS "BLAST SHIELD" MAG DISCONNECT REPLACEMENT RUGER®](#)
- Manufacturer: [TANDEMROSS](#)
- Product no.: 100030480
- Mfr. No.: TK24N0271RED1
- Model: Mark IV,Mark IV 22/45
- Weapon type: Ruger
- Delivery weight: 0.005kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 114mm
- UPC: 769498483350

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- BLAST SHIELD MAG DISCONNECT REPLACEMENT Safety Instructions
- About Us

BLAST SHIELD MAG DISCONNECT REPLACEMENT

Safety Instructions

Introduction

Thank you for choosing the TANDEMROSS "Blast Shield" Magazine Disconnect Replacement for your Ruger® MKIV or MKIV 22/45. This product is designed to enhance your shooting experience by allowing for the safe removal of the magazine disconnect while improving performance. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Ruger® MKIV or MKIV 22/45 before installing the "Blast Shield."
- Always treat firearms as if they are loaded and follow standard safety practices.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and any accessories in a secure location away from children and unauthorized users.
- Regularly inspect your firearm and accessories for wear and damage before use.

Specific Safety Precautions for Use

- Only use the "Blast Shield" with Ruger® MKIV or MKIV 22/45 models. Using it with other models may result in unsafe conditions.
- Ensure that the firearm is completely unloaded before attempting installation or removal of the magazine disconnect.
- Do not modify the "Blast Shield" or any other components of your firearm. Unauthorized modifications can compromise safety and performance.
- If you experience any malfunctions or unusual behavior while using the firearm with the "Blast Shield," cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation Steps

1. **Unload the Firearm:** Ensure that your Ruger® MKIV or MKIV 22/45 is completely unloaded. Remove the magazine and visually inspect the chamber.
2. **Disassemble the Firearm:** Follow the manufacturer's instructions to disassemble your firearm as needed to access the magazine disconnect.
3. **Remove the Existing Magazine Disconnect:** Carefully remove the factory-installed magazine disconnect according to the firearm's manual.
4. **Install the "Blast Shield":**
 - Align the "Blast Shield" with the designated area in the firearm.
 - Insert the "Blast Shield" into place, ensuring it fits snugly without forcing it.
5. **Reassemble the Firearm:** Follow the manufacturer's instructions to reassemble your Ruger® MKIV or MKIV 22/45.
6. **Function Check:** Before using the firearm, perform a function check to ensure that it operates correctly with the "Blast Shield" installed.

Usage Guidelines

- Always ensure the firearm is pointed in a safe direction when loading or unloading.
- Practice safe handling and shooting techniques at all times.
- Be aware that the "Blast Shield" allows the firearm to fire without a magazine inserted; this should only be done in a controlled and safe environment.

Disposal Instructions

- Dispose of the "Blast Shield" and any other firearm components in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of the "Blast Shield" Magazine Disconnect Replacement, please refer to the manufacturer's website or contact their customer support.

Conclusion

The TANDEMKROSS "Blast Shield" Magazine Disconnect Replacement is designed to enhance the performance of your Ruger® MKIV or MKIV 22/45. By following these safety instructions, you can ensure safe and effective use of this product. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk