

POLYMER DAT TRIGGER KITS - OVERWATCH PRECISION POLYMER DAT TRIGGER KIT, 45/10, GEN 2-4

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

Huge Upgrade in Quality of Trigger Pull; Drop-In Installation

Here's your dilemma: you want to upgrade the trigger in your Glock® to an Overwatch Precision DAT aluminum trigger, but you're on a tight budget. And frankly, you have no problem with the feel of a plastic trigger shoe. The folks at Overwatch have come up with the solution: install their Polymer DAT Trigger. You enjoy many of the key the benefits of their aluminum Defensive Applications Trigger (DAT), with a lower sticker price. As with the aluminum original, the Overwatch Precision crew designed the Polymer DAT Trigger to shorten the pull distance of your Glock's trigger by as much as 20% (depending on frame tolerances), making it an excellent option for shooters with shorter fingers. ALL shooters, regardless of the length of their digits, will appreciate the faster, more positive, clearly-defined pull, followed by a short, positive reset. The broad, flat face of the Polymer DAT Trigger permits a straight, uniquely self-correcting rearward press. Pre-travel has been reduced as much as possible without risking safety, so you revel in a clean, crisp break and almost non-existent overtravel. Most importantly, all of these benefits DO NOT come at the expense of compromising reliable operation of the factory safeties. Drop-in ready for Gen1 thru Gen4 Glock® pistols WILL NOT fit Gen5 or G19X pistols Solid-body, molded hard-polymer trigger shoe & safety lever. Flat-faced shoe enhances control & leverage. Polished stainless steel OEM Glock trigger bar installed. Now, you can go ahead and get a quantum leap in the quality of your Glock's trigger pull - without putting a dent in the debit card balance that gets you in the doghouse with your Significant Other!



Attributes

- Name: [OVERWATCH PRECISION POLYMER DAT TRIGGER KIT, 45/10, GEN 2-4](#)
- Manufacturer: [OVERWATCH PRECISION](#)
- Product no.: 100031284
- Mfr. No.: 26622
- Finish: Black
- Model: 30,20,21,29
- Style: Kit
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 114mm
- UPC: 815854025259

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for POLYMER DAT TRIGGER KIT
- About Us

Safety Instruction Guide for POLYMER DAT TRIGGER KIT

Introduction

Thank you for choosing the POLYMER DAT TRIGGER KIT by Overwatch Precision. This guide provides important safety instructions and guidelines to ensure the safe and effective use of your new trigger kit. Please read this document carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the POLYMER DAT TRIGGER KIT by following all instructions and warnings. This kit is designed for Glock® models 21, 29, 30, and 20 (Gen 14) only.
- **Potential Hazards:** Improper installation or use may lead to malfunction or unsafe operation of your firearm. Always ensure the firearm is unloaded before installation.
- **Vulnerable Groups:** This product should not be used by individuals under the age of 18 without adult supervision. Always prioritize safety when handling firearms.
- **Online Shopping Safety:** If purchased online, ensure that the seller complies with EU safety regulations.
- **Recall Information:** Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is completely unloaded before beginning installation.
 - Use appropriate tools to avoid damaging the trigger or firearm.
- **Handling Precautions:**
 - Always treat your firearm as if it is loaded.
 - Keep the firearm pointed in a safe direction at all times.
- **Usage Precautions:**
 - Familiarize yourself with the trigger's operation before using the firearm.
 - Do not modify the trigger kit beyond the manufacturer's specifications.
 - Always wear appropriate eye and ear protection when shooting.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: a punch tool, a small hammer, and a flathead screwdriver.
- Ensure you have a clean, welllit workspace.

2. Disassembly of Firearm:

- Unload the firearm completely.
- Follow the manufacturer's instructions for disassembling your Glock® model.

3. Installation of the Polymer DAT Trigger:

- Remove the factory trigger by using the punch tool to push out the trigger pin.
- Carefully detach the factory trigger from the trigger bar.
- Align the Polymer DAT Trigger with the trigger bar and press it into place.
- Insert the trigger pin back into the trigger assembly to secure the trigger.

4. Reassembly of Firearm:

- Follow the manufacturer's instructions to reassemble your Glock®.
- Ensure all parts are secure and functioning correctly.

5. Testing:

- Once reassembled, conduct a function check to ensure the trigger operates smoothly.
- Dryfire the firearm in a safe environment to familiarize yourself with the new trigger pull.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the product is no longer in use, consider recycling components where possible.
- Do not dispose of the trigger kit in regular household waste. Follow local guidelines for hazardous materials if applicable.

Contact Information for Further Support

For any questions or concerns regarding the POLYMER DAT TRIGGER KIT, please refer to the manufacturer's website or customer service resources.

By following these safety instructions, you can enjoy the benefits of your new POLYMER DAT TRIGGER KIT while ensuring safe and responsible use. Thank you for prioritizing safety in your shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk