

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 44 CALIBER (0.429") 214GR SEMI-WAD CUTTER DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 44 CALIBER \(0.429"\) 214GR SEMI-WAD CUTTER DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032157
- Mfr. No.: 90336
- Bullet Style: Semi-Wadcutter (SWC)
- Bullet Weight (Grains): 214
- Caliber: 44 Caliber
- Cavities: 2
- Diameter (in): 0.429
- Delivery weight: 0.386kg
- Shipping height: 64mm
- Shipping width: 51mm
- Shipping length: 267mm
- UPC: 734307903367

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Pistol Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides important safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before using the bullet molds.

General Safety Guidelines

- Ensure that the product is used in accordance with local laws and regulations regarding ammunition and reloading.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling lead and casting materials.
- Keep the workspace clean and free of hazards to prevent accidents.
- Store the molds in a dry and safe location, away from children and pets.
- Be aware of potential hazards associated with lead exposure, including inhalation and skin contact.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Before using the bullet molds, inspect them for any signs of damage or wear.
- Use the molds only for the intended purpose of casting bullets.
- Do not exceed the recommended temperature limits when melting lead.
- Ensure that the lead is properly melted and free of impurities before pouring into the molds.
- Allow the molds to cool completely before handling to prevent burns.
- Keep your hands and other body parts away from the mold cavity during the pouring process to avoid injury.
- Follow all local regulations regarding the disposal of lead scrap and waste materials.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary materials: lead alloy, casting pot, ladle, and appropriate safety gear.
- Ensure that the workspace is wellventilated.

2. Setting Up the Molds

- Place the bullet molds on a stable, heatresistant surface.
- Ensure that the sprue plate is securely attached.

3. Melting the Lead

- Heat the lead alloy in a casting pot according to the manufacturer's instructions.
- Monitor the temperature to ensure it remains within safe limits.

4. Pouring the Lead

- Using a ladle, carefully pour the molten lead into the mold cavities.
- Fill each cavity completely to ensure proper bullet formation.

5. Cooling and Removing Bullets

- Allow the bullets to cool in the molds until they are solid.
- Once cooled, gently open the molds and remove the bullets.
- Use caution to avoid burns when handling the molds.

6. Cleaning the Molds

- After use, clean the molds with a soft brush to remove any lead residue.
- Store the molds in a dry place to prevent corrosion.

Disposal Instructions

- Dispose of any lead scrap and waste materials in accordance with local regulations.
- Do not dispose of lead in regular trash. Check with local waste management for proper disposal methods.

Contact Information for Further Support

For further support or inquiries regarding safety concerns, please consult the manufacturer's website or customer service. It is essential to have access to accurate information and assistance when using this product.

By following these guidelines, you can ensure a safe and effective experience with your 2 Cavity Pistol Bullet Molds. Always prioritize safety and compliance with local regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk