

HARRIS BIPOD DIRECT MOUNT - KINETIC RESEARCH GROUP

HARRIS S STYLE INLINE MOUNT

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipod Accessories](#)

Rock Solid Bipod Mounting

HARRIS BIPOD DIRECT MOUNT Mount your "S" series Harris Bipod directly to your KRG chassis, KRG Spigot Mount, or KRG Arca Clamp. This will minimize bipod twist and give a more solid mounting option. It also brings the bipod closer to the bore a small amount. Use this mount in conjunction with the KRG Arca Clamp and you can quickly move your bipod to any position on an Arca Rail such as the Forend Arca Rail or Arca Spigot. Also can be mounted to some items with Magpul L2 hole spacing (1.190"). The inline mounting version with two attachment screws *which fits KRG chassis forends*. SPECS: Fits: Inline version fits KRG chassis forends on Whiskey-3, X-ray, and Bravo, also KRG Spigot Mount and Arca Clamp. Hole spacing front to rear is 1.190" Weight: 1oz Inline, 1.3oz Wide Material: 7075 Aluminum with hard anodize Restrictions: Only works with swivel Harris bipods (S-series). For mounting on a Bravo, X-ray, Whiskey-3, or Spigot Mount KRG recommends using the inline version



Attributes

- Name: [KINETIC RESEARCH GROUP HARRIS S STYLE INLINE MOUNT](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033901
- Mfr. No.: HAR-INL
- Attachment: Adapter Mount
- Delivery weight: 0.136kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [HARRIS BIPOD DIRECT MOUNT SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

HARRIS BIPOD DIRECT MOUNT SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the HARRIS BIPOD DIRECT MOUNT. This guide provides essential safety instructions and information to ensure the safe and effective use of your bipod mount. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always ensure that the bipod mount is compatible with your specific KRG chassis or other mounting systems.
- Regularly inspect the bipod and mount for any signs of wear or damage before each use.
- Ensure that all screws and attachments are securely fastened before using the bipod.
- Keep the bipod mount and its components out of reach of children to prevent accidental injury.
- If you notice any unusual movement or instability during use, discontinue use immediately and inspect the equipment.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the HARRIS BIPOD DIRECT MOUNT with swivel Harris bipods (Sseries).
- Do not exceed the weight limit specified by the manufacturer for the bipod and mount.
- Ensure that the bipod is properly aligned to minimize the risk of twisting or instability.
- When using the bipod mount in conjunction with the KRG Arca Clamp, ensure it is securely attached to the Arca Rail.
- Avoid using the bipod in adverse weather conditions that may compromise stability or safety.

Instructions for Installation and Usage

1. Installation:

- Ensure the KRG chassis, KRG Spigot Mount, or KRG Arca Clamp is clean and free from debris.
- Align the HARRIS BIPOD DIRECT MOUNT with the mounting holes on your KRG chassis or other compatible systems.
- Secure the mount using the two attachment screws provided. Ensure they are tightened properly to avoid loosening during use.
- Confirm that the hole spacing is 1.190" from front to rear to ensure proper fit.

2. Usage:

- Carefully attach your "S" series Harris Bipod to the mount.
- Adjust the bipod to your desired height and angle, ensuring it is stable before use.
- Regularly check the stability of the bipod during use, especially when changing positions.

Disposal Instructions

- Dispose of the HARRIS BIPOD DIRECT MOUNT in accordance with local regulations for aluminum materials.
- Do not dispose of in household waste. Check for recycling programs in your area that accept aluminum products.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact information included with your product packaging or visit the manufacturer's website.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your HARRIS BIPOD DIRECT MOUNT responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk