

QD SLING CUP - KINETIC RESEARCH GROUP EXTERNAL QD SLING CUP

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Easy On, Easy Off

External QD Sling Cup can be mounted in various positions on KRG Chassis and Spigot Mount to provide QD cup position. Comes with metric hardware specific to fit KRG chassis.



Attributes

- Name: [KINETIC RESEARCH GROUP EXTERNAL QD SLING CUP](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033910
- Mfr. No.: EXT-QDC
- Colour: Black
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- Startpage
- QD Sling Cup Safety Instruction Guide
- About Us

QD Sling Cup Safety Instruction Guide

Introduction

Thank you for choosing the QD Sling Cup by Kinetic Research Group. This product is designed to enhance your tactical experience by providing a secure and versatile mounting solution. To ensure your safety and the optimal performance of the QD Sling Cup, please read this safety instruction guide carefully before installation and use.

General Safety Guidelines

- Always ensure the QD Sling Cup is properly installed before use.
- Regularly inspect the QD Sling Cup for any signs of wear or damage.
- Use the QD Sling Cup only for its intended purpose as described in this guide.
- Keep this product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the QD Sling Cup is compatible with your specific KRG chassis and spigot mount before installation.
- Avoid exceeding the weight limit specified by the manufacturer to prevent failure.
- Do not modify the QD Sling Cup or its components, as this may compromise safety.
- Use only the provided metric hardware for installation to ensure a secure fit.
- When mounting the QD Sling Cup, ensure that it is securely fastened and does not obstruct any other equipment.

Instructions for Installation and Usage

1. Installation:

- Identify the desired mounting position on your KRG chassis or spigot mount.
- Align the QD Sling Cup with the mounting holes.
- Using the provided metric hardware, securely fasten the QD Sling Cup in place.
- Doublecheck that all screws and fittings are tight and secure.

2. Usage:

- Attach your sling to the QD Sling Cup ensuring it is properly secured.
- Test the connection by gently pulling on the sling to ensure it is firmly attached.
- Always check that the QD Sling Cup is functioning correctly before engaging in any activities.

Disposal Instructions

- Dispose of the QD Sling Cup in accordance with local regulations for electronic waste and nonfood products.
- Do not dispose of the product in regular household waste.
- If the QD Sling Cup is damaged or no longer usable, consider recycling its components where possible.

Contact Information for Further Support

For any inquiries regarding the QD Sling Cup, including safety concerns or product support, please reach out to

your local Kinetic Research Group representative or visit their official website for more information.

Thank you for prioritizing safety and compliance while using the QD Sling Cup. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk