

AR .308 T.R.I.M RAILS M-LOK - WILSON COMBAT AR .308 HANDGUARD 14.6" BLACK M-LOK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The best of both worlds- Wilson Combat's lightweight but rock-solid T.R.I.M rails for AR pattern rifles have been updated with the Magpul M-Lok accessory attachment system. Available in multiple lengths, these new AR handguard rails are among the ultimate in high quality, user-installed modularity. Wilson Combat precision machined three, six, and nine O'clock M-Lok positions enable fast, easy mounting of multiple shooting accessories popular across the shooting industry. In addition to a lighter, sleeker rail profile, the barrel nut design was retained from the original T.R.I.M rail to make it simple for users to easily swap the older T.R.I.M rail design with the M-Lok version. The T.R.I.M. (Tactical Rail Interface, Modular) AR rail has been designed by the Wilson Combat engineering team to be among the lightest, strongest and most versatile compact free-floating rail systems on the market. Machined from high-strength 6005A-T5 aircraft aluminum with a Mil-Spec hard anodized finish, the T.R.I.M. rail handguard / interface and its robust, anti-rotational mounting system won't sacrifice strength, stability or accuracy over bulkier designs. The oversize and tough nitrocarburized 4130 steel barrel attachment nut reduces heat transfer and the ergonomic handguard design offers a sleek, non-abrasive platform for comfortable dynamic shooting. Light, Strong and Compact Free-Floating Rail Design Machined from 6005A-T5 Aluminum Extrusion Mil-Spec Hard Anodized Black Finish Simple, 5-Minute Installation with Common Hand Tools Easily Removed or Replaced in the Field 1.47" Internal Diameter is Compatible with most Low-Profile Gas Blocks Overall weight with attachments: 12.2 oz/ 13.4 oz. Note: The hardened screws used in this handguard are tapered at the base to provide a flush, smooth fit. It is important that during initial installation that a small amount of grease is placed on the tapered shoulder of the screw to prevent screw galling against the softer rail. If a screw siezes and becomes immobile do not attempt removal, please contact Wilson Combat.



Attributes

- Name: [WILSON COMBAT AR .308 HANDGUARD 14.6" BLACK M-LOK](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 100040545
- Mfr. No.: TR-MLOK-AR10-14
- Colour: Black
- Length: 14.6
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR .308
- Delivery weight: 0.907kg
- Shipping height: 127mm
- Shipping width: 127mm
- Shipping length: 457mm
- UPC: 811826026941

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR .308 T.R.I.M Rails MLOK Handguard
- About Us

Safety Instruction Guide for AR .308 T.R.I.M Rails MLOK Handguard

Introduction

Thank you for choosing the AR .308 T.R.I.M Rails MLOK Handguard from Wilson Combat. This guide provides essential safety instructions and information to ensure safe and effective use of your handguard. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure safe use of the product by following all guidelines.
- Regularly inspect the handguard for any signs of damage or wear before each use.
- Use only compatible accessories and attachments designed for MLOK systems.
- Keep the handguard out of reach of children and vulnerable individuals.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Check for recall updates on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using firearms.
- Ensure the firearm is unloaded before installation or maintenance of the handguard.
- Do not exceed the recommended weight limit for attachments to avoid compromising the handguard's integrity.
- Be cautious of sharp edges during installation and handling.
- If screws become stuck, do not force removal; contact Wilson Combat for assistance.
- Avoid using excessive force when tightening screws to prevent damage.

Instructions for Installation and Usage

1. Preparation

- Gather common hand tools required for installation.
- Ensure you have a clean workspace to avoid losing small parts.

2. Installation Steps

- Remove the existing handguard if applicable, ensuring the firearm is unloaded.
- Apply a small amount of grease to the tapered shoulder of the screws to prevent galling.
- Align the T.R.I.M rail with the mounting points on your firearm.
- Securely attach the handguard using the provided screws, ensuring a flush fit.
- Verify that all screws are tightened but do not overtighten.

3. Usage

- Familiarize yourself with the handguard and its features before use.
- Attach accessories to the MLOK positions as needed, ensuring they are securely mounted.
- Regularly check the tightness of screws and the condition of the handguard during use.

Disposal Instructions

- Dispose of the handguard and any associated components in accordance with local regulations.
- Recycle materials where possible, including aluminum and steel components.

Contact Information for Further Support

For any questions or concerns regarding the AR .308 T.R.I.M Rails MLOK Handguard, please refer to the official Wilson Combat website or customer service for assistance.

This guide is designed to ensure your safety and the effective use of the AR .308 T.R.I.M Rails MLOK Handguard. Always prioritize safety and follow the instructions provided for a secure and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk