

RAIDER CLEAT FEET FOR ATLAS 5-H & SUPER CAL MODEL ATLAS BIPODS - ACCU-SHOT RAIDER CLEAT FEET FOR ATLAS 5-H/SUPER CAL ATLAS BIPODS SS

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipod Accessories](#)

ATLAS BIPOD® RAIDER CLEAT FEET FOR ATLAS 5-H & SUPER CAL MODEL

ATLAS® BIPODS The BT75 Atlas 5-H & Super CAL Raider Cleat Feet are turned from 416 Stainless Steel bar stock in one piece for strength and durability. They will fit 5-H and Super CAL model Atlas Bipods. Easily installed with the press of a stainless steel plunger. The Cleat portion is approximately 1.225" long with the largest outer diameter of approximately 1.443". Sold as a pair. Available in raw stainless steel only. SPECS Total Weight of Pair: 4.76 ounces Product will work on 5-H and Super CAL models only.



Attributes

- Name: [ACCU-SHOT RAIDER CLEAT FEET FOR ATLAS 5-H/SUPER CAL ATLAS BIPODS SS](#)
- Manufacturer: [ACCU-SHOT](#)
- Product no.: 100041878
- Mfr. No.: BT75
- Delivery weight: 0.145kg
- Shipping height: 51mm
- Shipping width: 140mm
- Shipping length: 140mm
- UPC: 810040220739

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RAIDER CLEAT FEET FOR ATLAS 5H & SUPER CAL MODEL ATLAS BIPODS
- About Us

Safety Instruction Guide for RAIDER CLEAT FEET FOR ATLAS 5H & SUPER CAL MODEL ATLAS BIPODS

Introduction

Thank you for choosing the RAIDER CLEAT FEET for your Atlas Bipods. This guide provides important safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Inspect the product for any visible damage or wear before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Ensure the RAIDER CLEAT FEET are securely attached to the bipod before use.
- Do not exceed the maximum load capacity of your Atlas Bipod when using the RAIDER CLEAT FEET.
- Avoid using the product in adverse weather conditions that may affect stability.
- Use caution when handling stainless steel components to prevent injury from sharp edges.
- Always use the product on stable and level surfaces to prevent tipping or sliding.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the following tools: a stainless steel plunger (included).
- Align the RAIDER CLEAT FEET with the attachment point on the Atlas Bipod.
- Press the stainless steel plunger to secure the cleat feet in place.
- Verify that the cleat feet are firmly attached before proceeding to use.

2. Usage:

- Position the Atlas Bipod with RAIDER CLEAT FEET on a stable surface.
- Ensure that the bipod is fully extended and locked before use.
- Adjust the angle and height of the bipod as needed for optimal stability and comfort.
- After use, retract the bipod legs and store in a safe place.

Disposal Instructions

- Dispose of the RAIDER CLEAT FEET in accordance with local regulations regarding metal recycling.
- Do not dispose of the product in general waste.
- If the product is damaged or no longer in use, consider recycling the materials whenever possible.

Contact Information for Further Support

For any questions or concerns regarding the RAIDER CLEAT FEET, please refer to the manufacturer's website or

customer support channels for assistance.

Thank you for your attention to these safety instructions. Proper use and maintenance of your RAIDER CLEAT FEET will enhance your experience with Atlas Bipods and ensure safe operation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk