

OPTIC PLATFORM FOR GLOCK® MOS - FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR FITS GLOCK MOS

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

OPF-G, RMR (Optics Platform, Glock, for RMR) is a Glock MOS Adapter Set 01 and Set 02 compatible plate for mounting Trijicon RMR or SRO on Glock Gen 4 and Gen 5 slides, G17, G19, G34, G35, G41 (width 25mm/1 inch.) and G40 that uses Set 02. Glock's OEM MOS plate's width matches that of the slide, but OPF-G, RMR is already wider to fully support the RMR, thus it is compatible with all MOS equipped Glock slides. We like the Glock MOS concept, even if we find the factory MOS adapter plates could use some help. Standards, commonality, availability of parts are all good things. Heretofore, users have had to send in their slides to be milled to accept mini red dot sights, or opt for 3rd party optics ready slides. The time it takes to send in the slides to be milled, and varying quality of the milling work and optics ready slides notwithstanding, there was a lack a standard regarding the sight height, it'd be a coincidence if two slides milled by two different shops share the same sight height. Glock's MOS may not sit as low as some, but in our opinion, what MOS offers more than makes up for it, namely a uniform sight height, ease of installation, parts commonality and availability. OPF-G, RMR is a collaboration with a USMC combat veteran and former USMC Shooting Team head coach, Tom Shields. We used Glock's MOS adapter plates as a basis, and designed our version of what we think it should and can be. OPF-G, RMR's shape follows its functions, same as all of our products. We outlined the following objectives: Sight is to be fully supported in the front and rear by recoil lugs/fences, with minimum movement. Eliminate the need to use an additional sealer plate. Correct length sight to plate, and plate to slide screws. Screws are to be Torx. Adapter plate is to be machined in steel. OPF-G, RMR accomplishes all of the goals outlined above. OPF-G, RMR's thickness is unchanged from that of the Glock MOS plate, it doesn't change the sight's mounted height, nor does it require different iron sights. OPF-RMR is shipped with plate to slide screws (M3-0.5mm x 6mm, same as what Glock MOS plates uses), and sight to plate screws (6/32 x 3/8), a T10 key and a VC3 packet. Weight: 0.83oz Plate to slide torque value: 13 to 15in/lb Sight to plate torque value: 13in/lb Proudly designed and made in the USA.



Attributes

- Name: [FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR FITS GLOCK MOS](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100042418
- Mfr. No.: OPF-G, RMR
- Colour: Black
- Fits / Used For: Holosun 508T V2, Holosun 407C, Holosun 407C V2, Holosun 507C, Trijicon RMR, Trijicon SRO, Holosun 507C V2, Holosun 508T
- Model: 41, 19, 34, 35, 40, 17
- Weapon type: Glock
- Delivery weight: 0.05kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 686162347902

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR
- About Us

Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR

Introduction

Thank you for choosing the OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR (OPFG, RMR). This product is designed to enhance your shooting experience by providing a secure and reliable mounting platform for Trijicon RMR or SRO optics on compatible Glock models. This guide provides essential safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the mount and the attached optics for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Always follow the manufacturer's guidelines for installation and usage.
- Report any unsafe product incidents or accidents to local authorities.

Specific Safety Precautions for Use

- **Compatibility Check:** Ensure that the OPFG, RMR is compatible with your Glock model (G17, G19, G34, G35, G41, G40) before use.
- **Installation:** Only install the mount following the provided instructions. Incorrect installation can lead to accidents or equipment failure.
- **Screw Tightening:** Use the specified Torx screws and tighten to the recommended torque values:
 - Plate to slide torque value: 13 to 15 in/lb
 - Sight to plate torque value: 13 in/lb
- **Sight Alignment:** Ensure that the sight is properly aligned and securely mounted before use.
- **Avoid Modifications:** Do not modify the mount or its components, as this may compromise safety and functionality.
- **Regular Maintenance:** Periodically check the tightness of all screws and the overall condition of the mount.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a T10 key and the provided screws.
- Ensure that the workspace is clean and free of distractions.

2. Installation:

- Remove any existing optics or mounts from the Glock slide.
- Align the OPFG, RMR with the Glock MOS plate.
- Insert the plate to slide screws (M30.5mm x 6mm) into the designated holes and tighten to the specified torque (13 to 15 in/lb).
- Attach the sight to the OPFG, RMR using the sight to plate screws (6/32 x 3/8) and tighten to the specified torque (13 in/lb).
- Ensure that the sight is securely mounted and properly aligned.

3. Usage:

- Before use, confirm that all components are securely attached and that the sight is functioning correctly.
- Always handle the firearm in a safe manner, following all applicable firearm safety rules.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and mechanical waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, consider recycling options available in your area.

Contact Information for Further Support

For any safety inquiries or further support regarding the OPFG, RMR, please refer to the manufacturer's contact information provided on the packaging or in the product manual.

By following these safety instructions, you can ensure a safe and effective experience with your OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR TRIJICON RMR. Thank you for your attention to safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk