

OPTIC PLATFORM FOR GLOCK® MOS - FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO FITS GLOCK MOS

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

OPF-G, RMR (Optics Platform, Glock, for RMR) is a Glock MOS Adapter Set 01 and Set 02 compatible plate for mounting Trijicon RMR or SRO on Glock Gen 4 and Gen 5 slides, G17, G19, G34, G35, G41 (width 25mm/1 inch.) and G40 that uses Set 02. Glock's OEM MOS plate's width matches that of the slide, but OPF-G, RMR is already wider to fully support the RMR, thus it is compatible with all MOS equipped Glock slides. We like the Glock MOS concept, even if we find the factory MOS adapter plates could use some help. Standards, commonality, availability of parts are all good things. Heretofore, users have had to send in their slides to be milled to accept mini red dot sights, or opt for 3rd party optics ready slides. The time it takes to send in the slides to be milled, and varying quality of the milling work and optics ready slides notwithstanding, there was a lack a standard regarding the sight height, it'd be a coincidence if two slides milled by two different shops share the same sight height. Glock's MOS may not sit as low as some, but in our opinion, what MOS offers more than makes up for it, namely a uniform sight height, ease of installation, parts commonality and availability. OPF-G, RMR is a collaboration with a USMC combat veteran and former USMC Shooting Team head coach, Tom Shields. We used Glock's MOS adapter plates as a basis, and designed our version of what we think it should and can be. OPF-G, RMR's shape follows its functions, same as all of our products. We outlined the following objectives: Sight is to be fully supported in the front and rear by recoil lugs/fences, with minimum movement. Eliminate the need to use an additional sealer plate. Correct length sight to plate, and plate to slide screws. Screws are to be Torx. Adapter plate is to be machined in steel. OPF-G, RMR accomplishes all of the goals outlined above. OPF-G, RMR's thickness is unchanged from that of the Glock MOS plate, it doesn't change the sight's mounted height, nor does it require different iron sights. OPF-RMR is shipped with plate to slide screws (M3-0.5mm x 6mm, same as what Glock MOS plates uses), and sight to plate screws (6/32 x 3/8), a T10 key and a VC3 packet. Weight: 0.83oz Plate to slide torque value: 13 to 15in/lb Sight to plate torque value: 13in/lb Proudly designed and made in the USA.



Attributes

- Name: [FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO FITS GLOCK MOS](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100042420
- Mfr. No.: OPF-G, DPP
- Colour: Black
- Fits / Used For: Leupold DeltaPoint Pro
- Model: 41,17,19,34,35,40
- Weapon type: Glock
- Delivery weight: 0.054kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 133mm

- UPC: 687408648548

Item details

Made in USA

Table of Contents

- Startpage
- Consumer Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO
- About Us

Consumer Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO

Introduction

Thank you for choosing the OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO (OPFG, RMR). This product is designed to enhance your shooting experience by providing a reliable mounting solution for your optics. It is important to read and follow this safety instruction guide to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for the intended purpose as described in this manual.
- Always handle firearms and accessories with care, following all safety protocols.
- Inspect the product before each use for any signs of damage or wear.
- Keep the product out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding the use of firearms and accessories.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or removing the OPFG, RMR.
- Use only the recommended screws and tools as specified in this manual to avoid damage.
- Ensure that the sight is securely mounted before using the firearm.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Do not modify the product in any way that is not approved by the manufacturer.
- Be aware of the potential for recoil and ensure that the sight is properly supported.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing Glock MOS plate from the slide.
- Align the OPFG, RMR adapter plate with the slide, ensuring the recoil lugs/fences are positioned correctly.
- Use the provided screws (M30.5mm x 6mm) to secure the adapter plate to the slide.
- Tighten the screws to a torque value of 13 to 15 in/lb.
- Attach the sight to the adapter plate using the sight to plate screws (6/32 x 3/8).
- Tighten the sight screws to a torque value of 13 in/lb.
- Inspect the installation for any movement or misalignment.

2. Usage

- Before using the firearm, ensure that all components are securely attached and functioning properly.
- Use the firearm in a safe and controlled environment, adhering to all safety guidelines.
- Regularly check the mounting for any signs of wear or loosening.

Disposal Instructions

- Dispose of the product in accordance with local regulations and environmental guidelines.
- Do not dispose of the product in regular household waste.
- Contact local waste management facilities for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the OPFG, RMR, please consult the manufacturer's website or customer service resources. Ensure you have your product details available when seeking assistance.

By following these guidelines, you can ensure the safe usage of the OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR LEUPOLD DELTAPOINT PRO. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk