

OPTIC PLATFORM FOR GLOCK® MOS - FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO FITS GLOCK MOS

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

OPF-G, RMR (Optics Platform, Glock, for RMR) is a Glock MOS Adapter Set 01 and Set 02 compatible plate for mounting Trijicon RMR or SRO on Glock Gen 4 and Gen 5 slides, G17, G19, G34, G35, G41 (width 25mm/1 inch.) and G40 that uses Set 02. Glock's OEM MOS plate's width matches that of the slide, but OPF-G, RMR is already wider to fully support the RMR, thus it is compatible with all MOS equipped Glock slides. We like the Glock MOS concept, even if we find the factory MOS adapter plates could use some help. Standards, commonality, availability of parts are all good things. Heretofore, users have had to send in their slides to be milled to accept mini red dot sights, or opt for 3rd party optics ready slides. The time it takes to send in the slides to be milled, and varying quality of the milling work and optics ready slides notwithstanding, there was a lack a standard regarding the sight height, it'd be a coincidence if two slides milled by two different shops share the same sight height. Glock's MOS may not sit as low as some, but in our opinion, what MOS offers more than makes up for it, namely a uniform sight height, ease of installation, parts commonality and availability. OPF-G, RMR is a collaboration with a USMC combat veteran and former USMC Shooting Team head coach, Tom Shields. We used Glock's MOS adapter plates as a basis, and designed our version of what we think it should and can be. OPF-G, RMR's shape follows its functions, same as all of our products. We outlined the following objectives: Sight is to be fully supported in the front and rear by recoil lugs/fences, with minimum movement. Eliminate the need to use an additional sealer plate. Correct length sight to plate, and plate to slide screws. Screws are to be Torx. Adapter plate is to be machined in steel. OPF-G, RMR accomplishes all of the goals outlined above. OPF-G, RMR's thickness is unchanged from that of the Glock MOS plate, it doesn't change the sight's mounted height, nor does it require different iron sights. OPF-RMR is shipped with plate to slide screws (M3-0.5mm x 6mm, same as what Glock MOS plates uses), and sight to plate screws (6/32 x 3/8), a T10 key and a VC3 packet. Weight: 0.83oz Plate to slide torque value: 13 to 15in/lb Sight to plate torque value: 13in/lb Proudly designed and made in the USA.



Attributes

- Name: [FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO FITS GLOCK MOS](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100042421
- Mfr. No.: OPF-G, ACRO
- Colour: Black
- Fits / Used For: Aimpoint ARCO
- Model: 34,17,41,19,35,40
- Weapon type: Glock
- Delivery weight: 0.052kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 686162347971

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO](#)
- [About Us](#)

Safety Instruction Guide for OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO

Introduction

Thank you for choosing the OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified by the manufacturer.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Do not modify or alter the product in any way.
- In case of any issues or concerns, consult a qualified professional.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when installing or using the sight mount.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.
- Use only the screws provided with the product to secure it to the firearm.
- Do not exceed the recommended torque values when tightening screws:
 - Plate to slide torque value: 13 to 15 in/lb
 - Sight to plate torque value: 13 in/lb
- Be aware of the potential hazards associated with using optics on firearms, including changes in balance and handling characteristics.

Instructions for Installation and Usage

Installation

1. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Remove Existing Plate:** If applicable, carefully remove any existing adapter plate from the firearm slide.
3. **Align the Adapter Plate:** Position the OPFG, RMR adapter plate on the firearm slide, aligning it with the mounting holes.
4. **Secure the Plate:** Using the provided M30.5mm x 6mm screws, secure the adapter plate to the slide. Tighten to the recommended torque value of 13 to 15 in/lb.
5. **Attach the Sight:** Align your Aimpoint Acro sight with the adapter plate and secure it using the provided 6/32 x 3/8 screws. Tighten to the recommended torque value of 13 in/lb.
6. **Final Inspection:** Check that all screws are secure and that the sight is firmly mounted.

Usage

- Always ensure that the firearm is pointed in a safe direction when using the sight.
- Regularly check the mounting screws for tightness and inspect the sight for any signs of damage.
- If any issues arise during use, cease operation immediately and consult a qualified professional.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling or disposal facility.

Contact Information for Further Support

For any questions or concerns regarding the product, please reach out to the manufacturer or consult your local dealer for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with the OPTIC PLATFORM FOR GLOCK® MOS FORWARD CONTROLS DESIGN SIGHT MOUNT FOR AIMPOINT ACRO. Stay informed about product recalls and safety updates by checking the EU's Safety Gate platform. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk