

# V4 MIL/LEO HELLCAT OPTIC MOUNTING PLATE - C&H PRECISION WEAPONS TRIJICON RMSC ADAPTER MOUNTING PLATE FOR SPRINGFIELD HELLCAT

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

## A Must-Have Optics Adapter Designed for Use on Your Springfield Armory Hellcat

One of the smallest micro-compact guns on the market, the Springfield Armory Hellcat can be a chore to shoot effectively because of its incredibly short sight radius. The addition of a red-dot optic eliminates this issue, and Springfield makes its Hellcat available with an RMSc optic cut. C&H Precision modified its V4 MIL/LEO Optic Mounting Plate for use with the gun, enabling users to mount the Holosun 507k and 407k red-dot sight without modifying the existing recoil posts. Each C&H Precision V4 MIL/LEO Optic Mounting Plate is machined from 6061 aluminum and treated with a hard-anodized finish.



## Attributes

- Name: [C&H PRECISION WEAPONS TRIJICON RMSC ADAPTER MOUNTING PLATE FOR SPRINGFIELD HELLCAT](#)
- Manufacturer: [C&H PRECISION WEAPONS](#)
- Product no.: 100043490
- Mfr. No.: SAHC-HOLOK
- Colour: Black
- Fits / Used For: Holosun 407K
- Model: Hellcat
- Weapon type: Springfield Armory
- Weight: 0.2 lbs
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 152mm

## Item details

Made in USA

# Table of Contents

- Startpage
- V4 MIL/LEO HELLCAT OPTIC MOUNTING PLATE Safety Instructions
- About Us

# V4 MIL/LEO HELLCAT OPTIC MOUNTING PLATE

## Safety Instructions

### Introduction

Thank you for choosing the V4 MIL/LEO Hellcat Optic Mounting Plate by C&H Precision Weapons. This product is designed to enhance your shooting experience with the Springfield Armory Hellcat by allowing the attachment of red dot optics. This guide provides essential safety instructions, installation procedures, and general safety guidelines to ensure safe and effective use of the product.

### General Safety Guidelines

To ensure safe usage of the V4 MIL/LEO Hellcat Optic Mounting Plate, please adhere to the following guidelines:

- Always handle firearms and accessories with care and ensure they are pointed in a safe direction.
- Read and understand the user manual of your firearm before installation and use.
- Ensure that the firearm is unloaded before installing or adjusting any components.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.
- Store the mounting plate and any attached optics in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the mounting plate and optics for any signs of wear or damage before each use.
- Follow all local laws and regulations regarding the use of firearms and accessories.

### Specific Safety Precautions for Use

When using the V4 MIL/LEO Hellcat Optic Mounting Plate, please consider the following precautions:

- Ensure that the mounting plate is compatible with your specific model of the Springfield Hellcat.
- Use only the recommended optics (e.g., Holosun 507K and 407K) as specified in the product description.
- Avoid using the mounting plate if it shows any signs of damage or if it has been involved in a fall or impact.
- Do not attempt to modify the mounting plate or the firearm in any way that could compromise safety or functionality.
- If you experience any malfunctions or issues while using the mounting plate, cease use immediately and consult a qualified gunsmith.

### Instructions for Installation and Usage

Follow these steps carefully to install and use the V4 MIL/LEO Hellcat Optic Mounting Plate:

#### 1. Preparation:

- Ensure that your Springfield Hellcat is unloaded and pointed in a safe direction.
- Gather the necessary tools for installation, including a screwdriver suitable for the mounting screws.

#### 2. Installation:

- Remove any existing optics or covers from the firearm's optic cut.
- Align the V4 MIL/LEO mounting plate over the optic cut on the Hellcat.
- Insert the screws provided with the mounting plate into the designated holes.
- Tighten the screws securely, ensuring that the mounting plate is firmly attached, but do not overtighten to avoid damage.

### **3. Optic Attachment:**

- Follow the manufacturer's instructions for attaching the Holosun 507K or 407K reddot sight to the mounting plate.
- Ensure that the optic is securely fastened and aligned properly for optimal performance.

### **4. Final Checks:**

- Once installed, doublecheck all screws and connections to ensure everything is secure.
- Conduct a function check of the firearm with the optic mounted, ensuring that all components operate smoothly.

## **Disposal Instructions**

When disposing of the V4 MIL/LEO Hellcat Optic Mounting Plate, please follow these guidelines:

- Do not dispose of the product in regular household waste.
- Check local regulations regarding the disposal of aluminum products and electronic components.
- If the product is damaged or no longer usable, consider recycling it at an appropriate facility.

## **Contact Information for Further Support**

For any questions or concerns regarding the V4 MIL/LEO Hellcat Optic Mounting Plate, please consult the manufacturer's website or contact their support team directly.

By following these safety instructions, you can ensure a safe and enjoyable experience with your V4 MIL/LEO Hellcat Optic Mounting Plate. Always prioritize safety and responsible usage when handling firearms and accessories.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)