

# V4 MIL/LEO S&W M&P OPTIC MOUNTING PLATE - C&H PRECISION WEAPONS LEUPOLD DELTA POINT PRO MOUNTING PLATE FOR S&W M2.0 BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

## A Duty-Ready Optics Mount Designed for Your Red-Dot-Ready Smith & Wesson Pistol

RDS-equipped handguns are here to stay, and you can enhance your red-dot-equipped Smith & Wesson handgun by adding a C&H Precision V4 MIL/LEO Optics Mounting Plate to your gun. This dedicated design is made to enhance the strength of this critical connection point between your optic and handgun, giving you a more durable weapons platform. Each C&H Precision V4 MIL/LEO Optic Mounting Plate designed for use on Smith & Wesson pistols is machined from 6061 aluminum and treated with a hard-anodized finish. The plates are equipped with two recoil posts, and all of the company's V4 plates come with replaceable T-posts made from stainless steel. The plates are secured with Torx head screws designed for the best possible retention. Each plate fits Smith & Wesson M1.0 and M2.0 pistols and will accommodate the following optics: Trijicon RMR, Trijicon SRO, Holosun 407C, Holosun 407C V2, Holosun 507C, Holosun 507C V2, Holosun 508T, Holosun 508T V2.



## Attributes

- Name: [C&H PRECISION WEAPONS LEUPOLD DELTA POINT PRO MOUNTING PLATE FOR S&W M2.0 BLACK](#)
- Manufacturer: [C&H PRECISION WEAPONS](#)
- Product no.: 100043494
- Mfr. No.: SWMP-DPP/EFLX-975
- Colour: Black
- Fits / Used For: Leupold DeltaPoint Pro
- Model: M&P M2.0
- Weapon type: Smith & Wesson
- Weight: 0.2 lbs
- Delivery weight: 0.018kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 152mm

## Item details

Made in USA

# Table of Contents

- Startpage
- V4 MIL/LEO S&W M&P Optic Mounting Plate Safety Instructions
- About Us

# V4 MIL/LEO S&W M&P Optic Mounting Plate Safety Instructions

## Introduction

Thank you for choosing the V4 MIL/LEO S&W M&P Optic Mounting Plate by C&H Precision Weapons. This product is designed to enhance your Smith & Wesson M&P M2.0 handgun by providing a secure and durable mounting solution for your reddot optics. It is important to read and understand these safety instructions to ensure proper usage and to minimize any risks associated with the product.

## General Safety Guidelines

- Ensure that you are familiar with the safe handling and operation of firearms before using this product.
- Always follow the manufacturer's instructions for both the handgun and the optic being mounted.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the mounting plate and optics for any signs of wear or damage before each use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recalls or safety alerts related to this product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

### • Installation Safety:

- Ensure that the firearm is unloaded before beginning installation.
- Use the appropriate tools as specified in the installation instructions to avoid damaging the mounting plate or firearm.

### • Usage Safety:

- Always confirm that the optic is securely mounted before using the firearm.
- Avoid using the firearm in environments where it may be exposed to extreme conditions that could affect the mounting stability (e.g., heavy rain, mud).
- Do not exceed the manufacturer's specifications for the weight of the optic being mounted.

### • Handling Precautions:

- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your surroundings and ensure a safe backdrop when handling your firearm.

## Instructions for Installation and Usage

### 1. Installation of the Mounting Plate:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing optics or mounting plates from the handgun.
- Align the C&H Precision V4 MIL/LEO Optic Mounting Plate with the mounting holes on the slide of the Smith & Wesson M&P M2.0.
- Insert the Torx head screws provided with the mounting plate into the mounting holes.
- Tighten the screws securely, ensuring that the mounting plate is firmly attached to the firearm.

### 2. Mounting the Optic:

- Choose the appropriate optic from the compatible list: Trijicon RMR, Trijicon SRO, Holosun 407C, Holosun 407C V2, Holosun 507C, Holosun 507C V2, Holosun 508T, Holosun 508T V2.
- Follow the manufacturer's instructions for the specific optic to attach it to the mounting plate.
- Ensure that all screws are tightened securely to prevent the optic from shifting during use.

### **3. PreUse Checks:**

- Inspect the mounting plate and optics for any signs of damage or wear.
- Confirm that all screws are tightened and secure.
- Ensure that the optic is properly aligned with the firearm's sights.

### **4. Using the Firearm:**

- When ready to shoot, ensure that you are in a safe environment and follow all firearm safety protocols.
- After use, clean and maintain the firearm and mounting plate as per the manufacturer's guidelines.

## **Disposal Instructions**

- Dispose of the mounting plate responsibly. If the product is no longer usable, consider recycling the aluminum material according to local regulations.
- Do not dispose of the product in regular household waste. Check local guidelines for proper disposal methods.

## **Contact Information for Further Support**

For any inquiries or further assistance regarding the V4 MIL/LEO S&W M&P Optic Mounting Plate, please refer to the manufacturer's website or customer support resources. It is recommended to keep this safety instruction guide for future reference.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)