

AR-15 ENLARGED TRIGGERGUARD - FORWARD CONTROLS DESIGN

AR-15 ENLARGED TRIGGERGUARD OD GREEN

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guards](#)

TGF (Trigger Guard, Forward Controls) Winter, BLK is machined from 7075 aluminum and Type III anodized black, it does not have a spring-loaded detent for the front, but use a set screw like Magpul's, and a standard trigger guard roll pin in the rear. We retained the use of roll pin for TGF's rear, as it's reliable and robust, it also will not loosen. The front set screw is flush with the receiver and doesn't protrude. Both versions feature a canted front edge to make rocking the magazine into the mag well easier. The winter version has as much constant/unchanged space from the trigger bow forward as possible (instead of the space inside tapering and decreasing as the trigger guard nears the receiver's front trigger guard holes). The space to the rear of the trigger bow is inaccessible for the user's finger, so it's kept small and low. TGF is designed for use with TDP spec forged lower receivers, and fills the gap forward of the pistol grip, between the trigger guard "ears" (note that TGF will not swing down like TDP spec trigger guards). All the sharp edges and corners have been removed. TGF is proudly designed and made in the USA. A trigger guard roll pin and set screw (for the front) are included. A 1/16 Allen wrench is required (not included). 7075 billet trigger guard for AR-15/M16 Enlarged space for gloved trigger finger Hard coat Type III anodized black Includes Set screw and roll pin Color: Black, FDE, or OD Green



Attributes

- Name: [FORWARD CONTROLS DESIGN AR-15 ENLARGED TRIGGERGUARD OD GREEN](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 100044419
- Mfr. No.: TGF, WINTER, OD GREEN
- Finish: O.D. Green
- Weapon type: AR-15
- Delivery weight: 0.027kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 683828757457

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Enlarged Triggerguard](#)
- [About Us](#)

Safety Instruction Guide for AR15 Enlarged Triggerguard

Introduction

Thank you for choosing the AR15 Enlarged Triggerguard by Forward Controls Design. This guide provides essential safety instructions to ensure the safe and effective use of your trigger guard. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure that you are familiar with the handling and operation of firearms before using this product.
- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Keep the trigger guard and surrounding area clean and free of obstructions to ensure proper functionality.
- Inspect the trigger guard before each use for any signs of damage or wear.
- Store the trigger guard in a safe location, out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm modifications and accessories.

Specific Safety Precautions for Use

- Do not attempt to install or remove the trigger guard while the firearm is loaded.
- Ensure that the firearm is pointed in a safe direction during installation.
- Use appropriate tools and follow the installation instructions carefully to avoid injury.
- Be cautious of sharp edges and corners during handling.
- If you experience any difficulty during installation, do not force components. Seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

Installation Steps

1. **Prepare Your Workspace:** Ensure you have a clean, welllit area to work in. Gather all necessary tools, including a 1/16 Allen wrench (not included).
2. **Unload Your Firearm:** Ensure that your firearm is completely unloaded. Check the chamber and magazine.
3. **Remove the Existing Trigger Guard:** If applicable, carefully remove the existing trigger guard using appropriate tools.
4. **Install the Enlarged Triggerguard:**
 - Align the trigger guard with the lower receiver.
 - Insert the roll pin into the rear of the trigger guard.
 - Secure the front of the trigger guard using the set screw. Ensure it is flush with the receiver.
5. **Check for Stability:** Ensure the trigger guard is securely in place and does not wobble or move.
6. **Final Inspection:** Inspect the installation to confirm there are no sharp edges or protrusions.

Usage Guidelines

- The enlarged trigger guard is designed for use with TDP spec forged lower receivers.
- It allows for easier access and operation, especially when wearing gloves.
- Always ensure that the trigger guard is properly installed before using the firearm.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If you need to dispose of the trigger guard, check with local authorities for proper disposal methods, especially if it is damaged.

Contact Information for Further Support

For any inquiries or assistance regarding the AR15 Enlarged Triggerguard, please refer to the manufacturer's contact information provided with your product.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your AR15 Enlarged Triggerguard. Always prioritize safety and compliance with local laws when using firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk