

# AR-15 FRONT SIGHT TAPER PIN - SONS OF LIBERTY GUN WORKS FRONT SIGHT TAPER PIN BLACK FOR AR-15

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Sight Pins](#)

Sons of Liberty Gun Works factory OEM Front Sight Taper Pin for Mil-Spec AR-15s.



## Attributes

- Name: [SONS OF LIBERTY GUN WORKS FRONT SIGHT TAPER PIN BLACK FOR AR-15](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100045064
- Mfr. No.: FSBTAPERPIN
- Colour: Black
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 102mm
- UPC: 785939518016

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Front Sight Taper Pin
- About Us

# Safety Instruction Guide for AR15 Front Sight Taper Pin

## Introduction

Thank you for choosing the AR15 Front Sight Taper Pin from Sons of Liberty Gun Works. This product is designed for use with MilSpec AR15s and aims to enhance your firearm's performance. To ensure your safety and the safety of others, please read this guide carefully before installation and use.

## General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure that you are in a safe environment when installing or using firearm components.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect your firearm and its components for any signs of wear or damage.
- Be aware of local laws and regulations regarding firearm modifications and use.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before beginning installation.
- Use appropriate tools designed for firearm maintenance to avoid damaging the product.
- Do not force the taper pin into place; ensure proper alignment before installation.
- Wear safety glasses to protect your eyes from potential debris during installation.
- Follow all manufacturer instructions regarding the use of your firearm to prevent accidents.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your AR15 is unloaded and pointed in a safe direction.
- Gather necessary tools: a punch tool and hammer, or a suitable alternative.

### 2. Installation:

- Align the front sight with the barrel.
- Insert the taper pin through the designated hole in the front sight.
- Use the punch tool to gently tap the taper pin into place, ensuring it is seated properly without excessive force.

### 3. PostInstallation Check:

- After installation, doublecheck that the front sight is secure and properly aligned.
- Reassemble your firearm as per the manufacturer's instructions.

### 4. Usage:

- Regularly check the tightness and alignment of the front sight taper pin during routine maintenance.
- If you notice any looseness or misalignment, discontinue use and recheck the installation.

## Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.

- If the product is damaged or no longer usable, dispose of it in a manner that complies with local waste disposal regulations.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR15 Front Sight Taper Pin, please contact the manufacturer directly. Ensure you have your product details handy for efficient assistance.

By following these guidelines, you can help ensure a safe and effective experience with your AR15 Front Sight Taper Pin. Thank you for your commitment to safety and responsible firearm usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)