

MASTER-FIT FREE-FLOAT BARREL NUT WRENCH - REAL AVID

MASTER-FIT FREE-FLOAT BARREL NUT WRENCH 1-5/16"

[Gunsmith Tools](#) > [Rifle Tools](#) > [Wrenches](#)

Specialized, precise-fitment armorer's crowfoot wrench, fits $\frac{1}{2}$ " receiver torque wrench head - Titanium coated stainless steel to confidently apply desired torque while minimizing marring on gun parts - Tight tolerances for solid grip and no-slip tool control.



Attributes

- Name: [REAL AVID MASTER-FIT FREE-FLOAT BARREL NUT WRENCH 1-5/16"](#)
- Manufacturer: [REAL AVID](#)
- Product no.: 100047714
- Mfr. No.: AVMF1516BNW
- Delivery weight: 0.315kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 178mm
- UPC: 813119013935

Table of Contents

- Startpage
- MASTERFIT FREEFLOAT BARREL NUT WRENCH SAFETY INSTRUCTIONS
- About Us

MASTERFIT FREEFLOAT BARREL NUT WRENCH SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MASTERFIT FREEFLOAT BARREL NUT WRENCH by REAL AVID. This specialized tool is designed for armorer use, providing a precise fit for your firearm maintenance needs. To ensure safe usage and optimal performance, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the tool as intended to avoid accidents and injuries.
- Inspect the wrench for any signs of damage before each use.
- Keep the tool out of reach of children and vulnerable individuals.
- Store the wrench in a safe, dry place to prevent rust and damage.
- Do not attempt to modify or alter the wrench in any way.

Specific Safety Precautions for Use

- Ensure that the wrench is compatible with your $\frac{1}{2}$ " receiver torque wrench head before use.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the tool.
- Avoid using excessive force; apply torque gradually to prevent damage to the firearm or tool.
- Be aware of your surroundings and ensure the area is clear of distractions and hazards.
- Do not use the wrench on hot or excessively cold surfaces.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and ensure a clean workspace.

2. Using the Wrench:

- Attach the MASTERFIT FREEFLOAT BARREL NUT WRENCH to your $\frac{1}{2}$ " receiver torque wrench head.
- Align the wrench with the barrel nut you intend to adjust.
- Gradually apply torque according to the specifications provided for your firearm.
- Monitor the fit and grip to ensure no slipping occurs during use.

3. PostUse Care:

- After use, clean the wrench with a soft cloth to remove any debris or residue.
- Store the wrench in its designated place to prevent damage.

Disposal Instructions

- Dispose of the wrench responsibly at a local recycling facility that accepts metal tools.
- Do not dispose of the wrench in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MASTERFIT FREEFLOAT BARREL NUT WRENCH, please reach out to the designated contact point provided with your purchase.

Please ensure you follow these guidelines to maintain your safety and the functionality of the MASTERFIT FREEFLOAT BARREL NUT WRENCH. Thank you for prioritizing safety in your firearm maintenance practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk