

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 44 CALIBER (0.430") 240GR SEMI-WAD CUTTER MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 44 CALIBER \(0.430"\) 240GR SEMI-WAD CUTTER MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053315
- Mfr. No.: 90299
- Bullet Style: -
- Bullet Weight (Grains): 240
- Caliber: 44 Caliber
- Cavities: 2
- Diameter (in): 0.430
- Delivery weight: 0.386kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307902995

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Pistol Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides essential safety instructions to ensure safe and effective use of your bullet molds. Please read this document carefully before use to understand the potential hazards and how to mitigate them.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling and using the molds.
- Keep the molds out of reach of children and vulnerable individuals.
- Regularly inspect the molds for signs of damage or wear before each use.
- In case of any accidents, report them immediately to the relevant authorities.

Specific Safety Precautions for Use

- **Handling Hot Materials:** The molds can become very hot during use. Always use heatresistant gloves when handling the molds.
- **Lead Exposure:** When casting bullets, lead fumes can be harmful. Ensure adequate ventilation in your working area and avoid inhaling fumes.
- **Sharp Edges:** The molds may have sharp edges. Handle with care to prevent cuts or injuries.
- **Proper Storage:** Store the molds in a dry place to prevent corrosion and damage.
- **Avoiding Contamination:** Do not use the molds for any substances other than the specified materials. Contamination can lead to unsafe conditions.

Instructions for Installation and Usage

1. Preparation:

- Ensure your workspace is clean and organized.
- Gather all necessary materials, including lead, a heat source, and protective equipment.

2. Setting Up the Molds:

- Place the molds on a stable, heatresistant surface.
- Ensure that the sprue plate is properly attached and functioning.

3. Casting Bullets:

- Heat the molds using the appropriate heat source until they reach the recommended temperature.
- Pour molten lead into the mold cavities carefully to avoid splashing.
- Allow the lead to cool and solidify before opening the molds.

4. PostUse Care:

- Clean the molds with a soft brush to remove any lead residue.
- Store the molds in a safe, dry place when not in use.

Disposal Instructions

- Dispose of any lead scraps and residues in accordance with local regulations for hazardous waste.
- Do not dispose of the molds in regular household waste. Check with local authorities for appropriate disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the product, please reach out to the designated EU contact point for assistance.

Thank you for your attention to these safety guidelines. Enjoy your casting experience with the 2 Cavity Pistol Bullet Molds from Lee Precision.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk