

ARCHANGEL MOSIN-NAGANT OPFOR® PRECISION RIFLE STOCKS - PRO MAG STOCK W/ 10RD MAGAZINE POLYMER DESERT TAN

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

M-38, M-44, Chinese T-53 carbines in both hex and round receivers; Will fit the Finnish M-39 rifles and carbines with some modification Incorporates three (3) integral steel inserts for ball lock / push button quick detach sling swivels (sling swivels not included) Length of pull is thumbwheel click adjustable from 13.5" to 14.625" Constructed of legendary high strength, carbon fiber and glass reinforced tan polymer Cheek riser is thumbwheel click adjustable in .05" increments with a travel of 1.75" Ergonomic goose neck style grip with comfortable ambidextrous palm swells Precision fit inlet steel pillar bedding Free-float barrel channel Fully adjustable ergonomics Buttstock features an off hand pressure hook Soft rubber recoil pad included Patented barrel pressure device (for those barrels that like some pressure) Provides maximum accuracy with no glass bedding required Stock is pre-inletted to accept a Timney Trigger® part #307 Grip storage compartment Ventilated forend with full length textured grooves and beveled top surfaces Includes hex head action screws and Allen wrench Includes the Archangel® AA9130 (10) Rd black polymer magazine (AA762R 02) Lower accessory Picatinny rail available separately (AA124) Overall Length: 32" Weight: 3.6 pounds Lifetime Warranty* Made in USA



Attributes

- Name: [PRO MAG STOCK W/ 10RD MAGAZINE POLYMER DESERT TAN](#)
- Manufacturer: [PRO MAG](#)
- Product no.: 100053760
- Mfr. No.: AA9130-DT
- Colour: Desert Tan
- Material: Polymer
- Style: Adjustable
- Weapon type: Mosin Nagant
- Weight: 3.6 lbs
- Delivery weight: 2.801kg
- Shipping height: 114mm
- Shipping width: 279mm
- Shipping length: 940mm
- UPC: 708279011801

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [ARCHANGEL MOSINNAGANT OPFOR® PRECISION RIFLE STOCK SAFETY INSTRUCTIONS](#)
- [About Us](#)

ARCHANGEL MOSINNAGANT OPFOR® PRECISION RIFLE STOCK SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the ARCHANGEL MOSINNAGANT OPFOR® Precision Rifle Stock. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU regulations. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- Always handle the rifle stock and associated firearms with care. Treat every firearm as if it is loaded.
- Ensure that the rifle stock is properly installed before use. A poorly installed stock can lead to accidents.
- Be aware of your surroundings when handling firearms. Ensure that you are in a safe environment, free from obstacles and bystanders.
- Use appropriate personal protective equipment (PPE), such as safety glasses and hearing protection, when using firearms.
- Store the rifle stock and associated firearms in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the rifle stock for any signs of wear or damage. Do not use the stock if it is damaged.
- Follow all local laws and regulations regarding the use and ownership of firearms.

Specific Safety Precautions for Use

- Ensure that the stock is compatible with your rifle model (M38, M44, Chinese T53, Finnish M39) before installation.
- The stock incorporates integral steel inserts for sling swivels. Ensure that these are installed correctly to avoid injury.
- The length of pull is adjustable from 13.5" to 14.625". Ensure that it is set to a comfortable length before use.
- The cheek riser is adjustable in 0.05" increments with a maximum travel of 1.75". Make adjustments carefully to avoid sudden movements.
- The buttstock features an offhand pressure hook. Use this feature as intended to maintain stability while shooting.
- Always ensure that the rifle is unloaded before making adjustments to the stock or installing any accessories.

Instructions for Installation and Usage

1. Installation of the Stock:

- Ensure that the rifle is completely unloaded.
- Remove the existing stock from the rifle according to the manufacturer's instructions.
- Align the ARCHANGEL stock with the receiver of the rifle.
- Secure the stock using the included hex head action screws. Ensure they are tightened properly to avoid loosening during use.
- Install the Timney Trigger® part #307 if desired, following the manufacturer's instructions.

2. Adjusting the Length of Pull:

- Locate the thumbwheel adjustment mechanism on the stock.
- Turn the thumbwheel to adjust the length of pull to your preference (between 13.5" and 14.625").
- Ensure the adjustment is secure before using the rifle.

3. Adjusting the Cheek Riser:

- Identify the thumbwheel for the cheek riser adjustment.
- Turn the thumbwheel to adjust the cheek riser in 0.05" increments.
- Confirm that the cheek riser is securely in place before use.

4. Using the Stock:

- Ensure that all adjustments are made and secure.
- Place the rifle in a stable shooting position.
- Use the ergonomic grip and offhand pressure hook for stability while aiming and shooting.
- Follow proper shooting techniques and maintain awareness of your surroundings.

Disposal Instructions

- Dispose of the rifle stock according to local regulations for plastic and composite materials.
- If the stock is damaged beyond repair, consider recycling options where available.
- Ensure that any associated materials (like magazines) are disposed of safely and securely.

Contact Information for Further Support

For any questions or concerns regarding the ARCHANGEL MOSINNAGANT OPFOR® Precision Rifle Stock, please refer to the product packaging or the manufacturer's website for additional support and resources.

By following these safety instructions, you can ensure a safe and enjoyable experience with your ARCHANGEL MOSINNAGANT OPFOR® Precision Rifle Stock. Thank you for prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk