

TIKKA T3X GEN 4 X-RAY CHASSIS - TIKKA T3X X-RAY CHASSIS, GREY

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

X-Ray Chassis (Generation 4) Unprecedented value...This is what the X-Ray chassis provides to you. When you pick up the X-Ray, it will feel nice and light compared to other chassis. You'll have nearly identical ergonomics to the Whiskey-3 with only a little more time involved in adjusting the different aspects like the length of pull. Furthermore, you'll have all the standard benefits of a chassis like the use of AICS magazines, a variety of mounting points for slings, barrier stops, etc., and aluminum block bedding for the action while not having to sell off a kidney to pay the price of admission. To accomplish Kinetic Research Group's design intent, they kept the features that everyone wants and needs and eliminated those that weren't necessary. Then they utilized efficient manufacturing processes to keep production costs down and in turn keep the price to the shooter down. The end result is a hybrid aluminum and polymer chassis that we think you'll love. KRG is proud to present the X-Ray chassis, the result of years of careful design, thought, refinement, and hard work. The change is a new one piece backend, which comes standard with tool-less buttpad height and cant adjustment, as well as a ambidextrous cheekpiece thumbscrew. The Tikka inlet accepts T3, T3x, and CTR versions, however slight mods may be required on the trigger-guard for the T3 TAC A1 to function properly. Tikka rifles accept AICS pattern mags with the exception of the Magpul AICS polymer mags.



Attributes

- Name: [TIKKA T3X X-RAY CHASSIS, GREY](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100054259
- Mfr. No.: XRY-T3S-GRY
- Color: Grey
- Make: Tikka
- Model: T3x, T3
- Style: Chassis
- Weight: 3 lbs
- Delivery weight: 1.928kg
- Shipping height: 76mm
- Shipping width: 165mm
- Shipping length: 775mm

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- TIKKA T3X GEN 4 XRAY CHASSIS Safety Instruction Guide
- About Us

TIKKA T3X GEN 4 XRAY CHASSIS Safety Instruction Guide

Introduction

Thank you for choosing the TIKKA T3X GEN 4 XRAY CHASSIS. This guide provides essential safety instructions to ensure your safe and effective use of the product. Please read this document carefully to understand the safety guidelines, installation instructions, and proper usage of the chassis.

General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding the use of firearms and firearm accessories.
- Always handle firearms with care. Treat every firearm as if it is loaded.
- Keep the chassis and any attached firearm out of reach of children and unauthorized users.
- Inspect the chassis before each use for any signs of damage or wear. Do not use if any parts are damaged.
- Do not modify the chassis in any way that is not recommended by the manufacturer. Unauthorized modifications can create safety hazards.
- Always use appropriate personal protective equipment (PPE), such as eye and ear protection, when using firearms.
- Be aware of your surroundings and ensure a safe environment before handling or discharging a firearm.

Specific Safety Precautions for Use

- When adjusting the length of pull or any other features, ensure that your fingers and any other body parts are clear of moving parts.
- Do not exceed the manufacturer's recommendations for weight or load when using the chassis. Overloading may lead to failure.
- Ensure that the chassis is securely attached to the firearm before use. A loose connection can result in accidents.
- Use only compatible AICS magazines as specified by the manufacturer. Incompatible magazines can cause malfunctions.
- Be cautious when using the ambidextrous cheekpiece thumbscrew; ensure it is properly secured before use.

Instructions for Installation and Usage

1. Installation:

- Remove the existing stock from your Tikka rifle according to the manufacturer's instructions.
- Align the Tikka rifle's action with the XRay chassis inlet.
- Secure the rifle into the chassis using the provided screws and ensure that all screws are tightened to the manufacturer's specifications.
- Adjust the toolless buttpad height and cant according to your preference. Ensure that adjustments are secure before use.

2. Usage:

- Before using the chassis, perform a functional check to ensure that all components are working correctly.
- Load the compatible AICS magazine into the chassis, ensuring it is seated properly.
- Adjust the cheekpiece and length of pull to fit your shooting style and comfort.

- Always follow safe firearm handling practices when using the chassis and firearm combination.

Disposal Instructions

- Dispose of the chassis in accordance with local regulations for metal and plastic recycling.
- Do not dispose of the chassis in regular household waste.
- If the chassis is damaged beyond repair, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the TIKKA T3X GEN 4 XRAY CHASSIS, please refer to the manufacturer's website or contact their customer service directly. Ensure that you have your product information available when seeking assistance.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your TIKKA T3X GEN 4 XRAY CHASSIS. Always prioritize safety and adhere to the guidelines provided in this manual. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at