

MAINSPRING PLUNGER FOR BROWNING BUCK MARK® - MAINSPRING PLUNGER FOR BROWNING BUCK MARK

[Shotgun Parts](#) > [Trigger Group Parts](#) > [Hammer Parts](#) > [Hammer Hardware](#)

FITS: Gold 12 & 20 - Common Parts

MAINSPRING PLUNGER FOR BROWNING BUCK MARK® Factory replacement mainspring plunger for Browning Buck Mark®.



Attributes

- Name: [MAINSPRING PLUNGER FOR BROWNING BUCK MARK](#)
- Manufacturer: [BROWNING](#)
- Product no.: 149000152
- Mfr. No.: B111619802
- Make: Browning
- Model: Gold 12,Gold 20
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Table of Contents

- Startpage
- Safety Instruction Guide for MAINSPRING PLUNGER FOR BROWNING BUCK MARK®
- About Us

Safety Instruction Guide for MAINSPRING PLUNGER FOR BROWNING BUCK MARK®

Introduction

Thank you for purchasing the MAINSPRING PLUNGER FOR BROWNING BUCK MARK®. This product is designed to replace the mainspring plunger in your Browning Buck Mark firearm, ensuring optimal performance and safety. Please read this safety instruction guide carefully to ensure safe usage and compliance with EU safety regulations.

General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines when using this product.
- Ensure that the product is used only for its intended purpose.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of damage or wear.
- Report any unsafe conditions or incidents to the relevant authorities immediately.
- Stay informed about recalls or safety notices related to this product through official channels.

Specific Safety Precautions for Use

- Use only compatible Browning models: Gold 12 and Gold 20.
- Always ensure the firearm is unloaded before installing or replacing any parts.
- Wear appropriate safety gear, including eye and ear protection, when handling firearms.
- Do not attempt to modify or alter the product in any way.
- If you are unfamiliar with firearm maintenance, seek assistance from a qualified professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Browning Buck Mark® is completely unloaded.
- Gather necessary tools, such as a screwdriver and any other required equipment.

2. Installation:

- Remove the existing mainspring plunger by following the manufacturer's disassembly instructions.
- Insert the new MAINSPRING PLUNGER into the designated slot.
- Ensure that the plunger is seated correctly and securely.
- Reassemble the firearm according to the manufacturer's guidelines.

3. Usage:

- After installation, perform a function check to ensure the firearm operates correctly.
- Test the firearm in a safe environment, following all safety protocols.
- Regularly maintain and clean the mainspring plunger to ensure longevity and performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and mechanical waste.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the official Browning website or your local Browning dealer for assistance.

This safety instruction guide is provided to ensure your safety and the proper use of the MAINSPRING PLUNGER FOR BROWNING BUCK MARK®. Adhering to these guidelines will help you enjoy your product safely and effectively.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr