

1911 COMMANDER 9MM DUAL RECOIL SPRINGS - COLT 1911 RECOIL SPRING, COMMANDER, 9MM, OUTER

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Advanced Dual-Spring System Gives You a Softer-Recoiling, More Reliable Pistol These are replacement inner and outer recoil springs for Colt 1911 pistols chambered in 9mm Luger that use the new Colt Dual Spring Recoil System™ originally developed in 2011 for the USMC M45A1 pistol. The inner and outer springs work together to provide enhanced reliability and extended recoil spring service life up to 15,000 rounds. (The standard interval for replacing standard 1911 recoil springs is 5,000 rounds.) Tempered spring steel Correct spring tension for 9mm ammo Use ONLY in Colt 1911 Commander Model pistols or clones chambered in 9mm Other required components sold separately (described below) These inner and outer recoil springs must be used in conjunction with the other two parts of the Colt Dual Spring Recoil System™: a dedicated guide rod and recoil spring plug.



Attributes

- Name: [COLT 1911 RECOIL SPRING, COMMANDER, 9MM, OUTER](#)
- Manufacturer: [COLT](#)
- Product no.: 160000457
- Mfr. No.: 300585
- Model: Commander
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping height: 8mm
- Shipping width: 8mm
- Shipping length: 117mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 COMMANDER 9MM DUAL RECOIL SPRINGS
- About Us

Safety Instruction Guide for 1911 COMMANDER 9MM DUAL RECOIL SPRINGS

Introduction

Thank you for choosing the 1911 COMMANDER 9MM DUAL RECOIL SPRINGS. This guide provides essential safety instructions to ensure the safe use and maintenance of your recoil springs. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only in Colt 1911 Commander Model pistols or clones chambered in 9mm.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Store the recoil springs in a safe place, away from children and unauthorized users.
- Regularly inspect the recoil springs for wear and damage. Replace them if any signs of deterioration are observed.
- Follow all manufacturer guidelines for the use and maintenance of your firearm.

Specific Safety Precautions for Use

- Use only the recommended ammunition (9mm) with the recoil springs.
- Never exceed the recommended service life of 15,000 rounds for the recoil springs.
- Be aware of the potential for misfires or failures to eject. If these occur, cease usage immediately and consult a qualified gunsmith.
- Do not attempt to modify the recoil springs or the firearm in any way. Modifications can compromise safety and performance.
- Ensure that the firearm is unloaded before installing or replacing the recoil springs.

Instructions for Installation and Usage

1. Prepare Your Workspace:

- Ensure you are in a clean, welllit area.
- Gather necessary tools, including a dedicated guide rod and recoil spring plug, as these are required for installation.

2. Unloading the Firearm:

- Ensure that the firearm is completely unloaded. Check the chamber, magazine, and any other compartments.

3. Removing the Old Recoil Springs:

- Carefully disassemble the firearm according to the manufacturer's instructions.
- Remove the old inner and outer recoil springs.

4. Installing the New Recoil Springs:

- Insert the new inner recoil spring onto the guide rod.
- Follow with the outer recoil spring, ensuring that both springs are seated properly.
- Reinstall the guide rod and recoil spring plug according to the manufacturer's guidelines.

5. Reassembling the Firearm:

- Carefully reassemble the firearm.
- Conduct a function check to ensure that the firearm operates correctly with the new recoil springs.

6. PostInstallation Checks:

- Inspect the installation to ensure that everything is properly aligned and secured.
- Store the firearm safely until ready for use.

Disposal Instructions

- Dispose of old recoil springs in accordance with local regulations.
- Do not dispose of recoil springs in regular household waste. Check for recycling programs or hazardous waste disposal options in your area.

Contact Information for Further Support

For further support or inquiries regarding safety and usage of the 1911 COMMANDER 9MM DUAL RECOIL SPRINGS, please refer to the manufacturer's website or customer service for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of the 1911 COMMANDER 9MM DUAL RECOIL SPRINGS. Always prioritize safety and responsible handling of your firearm. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk