

# REPLACEMENT CYLINDER POINTS - CRATEX POINT, MEDIUM, #6 CYL, 1/16" ARBOR

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Rubber Abrasive Tools](#) > [Rubber Abrasive Cylinder Points](#)

## Preshaped Abrasive Wheels For All Polishing/Grinding Needs

Bulk replacements sold 25 each per pkg. #6 Cylinder Point,  $\frac{1}{4}$ " (6.3mm) diameter,  $\frac{7}{8}$ " (22.2mm) long.



## Attributes

- Name: [CRATEX POINT, MEDIUM, #6 CYL, 1/16" ARBOR](#)
- Manufacturer: [CRATEX](#)
- Product no.: 190025062
- Mfr. No.:
- Delivery weight: 0.041kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm

# Table of Contents

- Startpage
- Safety Instruction Guide for REPLACEMENT CYLINDER POINTS CRATEX POINT, MEDIUM, #6 CYL, 1/16" ARBOR
- About Us

# Safety Instruction Guide for REPLACEMENT CYLINDER POINTS CRATEX POINT, MEDIUM, #6 CYL, 1/16" ARBOR

## Introduction

Thank you for choosing the REPLACEMENT CYLINDER POINTS CRATEX POINT. This product is designed to provide reliable performance for various applications. To ensure safe and effective use, please read and follow this safety instruction guide carefully.

## General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the product is suitable for your specific use case.
- Keep this guide for future reference and share it with anyone who may use this product.
- Regularly check for product recalls or safety alerts through the EU Safety Gate platform.
- Report any unsafe product incidents or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety goggles and gloves when using this product.
- Avoid direct contact with the rotating cylinder point during operation to prevent injury.
- Do not exceed the recommended operating speed to avoid product failure.
- Ensure that the work area is clean and free from obstructions to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for damage or wear before each use. Do not use if damaged.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the power tool is turned off and unplugged before installation.
- Insert the 1/16" arbor of the REPLACEMENT CYLINDER POINT into the compatible power tool.
- Secure the cylinder point tightly according to the power tool's manufacturer instructions.

### 2. Usage:

- Turn on the power tool and allow it to reach the desired speed before making contact with the workpiece.
- Apply light pressure while using the cylinder point to achieve optimal results without causing damage.
- Do not force the tool; let the cylinder point do the work.
- Regularly check the cylinder point for wear during use and replace it if necessary.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding hazardous waste.
- Do not dispose of the product in household waste.
- Consider recycling options if available.

## **Contact Information for Further Support**

For any questions or concerns regarding the safety or use of this product, please refer to the manufacturer's contact information provided on the packaging or the manufacturer's website.

By following these guidelines, you can ensure a safe and effective experience with the REPLACEMENT CYLINDER POINTS CRATEX POINT. Thank you for prioritizing safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)