

1911 LIGHT PULL SEAR SPRING - CYLINDER & SLIDE 1911 LIGHT PULL SEAR SPRING

[Handgun Parts](#) > [Trigger Group Parts](#) > [Sear Parts](#) > [Sear Springs](#)

Reduces the trigger pull approximately 1.5lb while maintaining a safe spring pressure hammer begins to follow after installation of this spring, the hammer/sear engagement is incorrect and should be repaired. This is the same spring that we furnish in the trigger pull kits.



Attributes

- Name: [CYLINDER & SLIDE 1911 LIGHT PULL SEAR SPRING](#)
- Manufacturer: [CYLINDER & SLIDE](#)
- Product no.: 206000065
- Mfr. No.: CS0094
- Model: Commander,Government,Officers
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping height: 19mm
- Shipping width: 13mm
- Shipping length: 70mm
- UPC: 000000000949

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [1911 Light Pull Sear Spring Safety Instruction Guide](#)
- [About Us](#)

1911 Light Pull Sear Spring Safety Instruction Guide

Introduction

Thank you for choosing the 1911 Light Pull Sear Spring from Cylinder & Slide. This product is designed to enhance your firearm's trigger pull while maintaining safety standards. Please read this safety instruction guide carefully to ensure proper use and installation.

General Safety Guidelines

- Ensure that your firearm is always unloaded before handling or installing any components.
- Use the product only with compatible 1911 models: Government, Commander, and Officers.
- Follow all local laws and regulations regarding firearm modifications.
- Store the spring in a safe place, out of reach of children and unauthorized users.
- Regularly inspect your firearm and its components for wear and damage.

Specific Safety Precautions for Use

- **Trigger Pull Reduction:** This spring reduces the trigger pull weight by approximately 1.5 lbs. Ensure that you are comfortable with this change before installation.
- **Hammer/Sear Engagement:** After installation, if the hammer begins to follow, the hammer/sear engagement may be incorrect. Consult a qualified gunsmith for adjustments.
- **Vulnerable Groups:** Keep this product away from children and individuals unfamiliar with firearms. Proper supervision is essential during installation and use.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools including a punch tool and a hammer.

2. Installation:

- Remove the grip panels to access the sear spring.
- Carefully remove the existing sear spring using the punch tool.
- Install the new 1911 Light Pull Sear Spring by aligning it properly in the sear housing.
- Reassemble the grip panels securely.

3. Testing:

- After installation, perform a function check of the firearm.
- Ensure the trigger operates smoothly and that the hammer does not follow upon release.
- If any issues arise, consult a qualified gunsmith for further evaluation.

4. Safe Usage:

- Always treat your firearm as if it is loaded.
- Use the firearm only in a safe environment and for its intended purpose.
- Regularly maintain and inspect your firearm to ensure it remains in safe working condition.

Disposal Instructions

- Dispose of any old or unused parts in accordance with local regulations.
- Ensure that all components are disposed of in a manner that prevents unauthorized access.

Contact Information for Further Support

For any safety inquiries or concerns regarding the 1911 Light Pull Sear Spring, please reach out to your local dealer or manufacturer support team. They can provide assistance and answer any questions you may have.

By following these guidelines, you can help ensure the safe and effective use of your 1911 Light Pull Sear Spring. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk