

# FIBERGLASS REINFORCED CUT-OFF WHEEL - DREMEL CUT-OFF WHEEL

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Cut-Off Wheels](#)

## Make the Most Of Your Hand-Held Tool

1¼" (3.2cm) dia. Larger diameter makes it possible to cut thicker material. Long lasting. Sold in pak of 5.



## Attributes

- Name: [DREMEL CUT-OFF WHEEL](#)
- Manufacturer: [DREMEL](#)
- Product no.: 257400426
- Mfr. No.: 5000426
- Delivery weight: 0.009kg
- Shipping height: 10mm
- Shipping width: 46mm
- Shipping length: 84mm
- UPC: 080596004262

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for FIBERGLASS REINFORCED CUTOFF WHEEL DREMEL CUTOFF WHEEL](#)
- [About Us](#)

# Safety Instruction Guide for FIBERGLASS REINFORCED CUTOFF WHEEL DREMEL CUTOFF WHEEL

## Introduction

Thank you for choosing the Fiberglass Reinforced CutOff Wheel by Dremel. This product is designed for cutting various materials effectively and safely. Please follow the safety guidelines and instructions outlined in this guide to ensure safe usage and optimal performance.

## General Safety Guidelines

- Always read and understand the safety instructions before using the product.
- Ensure the product is suitable for the intended use.
- Use personal protective equipment (PPE) such as safety goggles and gloves.
- Keep the work area clean and welllit to avoid accidents.
- Do not use the cutoff wheel for any purpose other than its intended use.
- Ensure that the tool is compatible with the cutoff wheel before installation.
- Regularly inspect the cutoff wheel for wear and damage before each use.
- Do not exceed the maximum RPM rating specified for the cutoff wheel.

## Specific Safety Precautions for Use

- Always secure the workpiece to prevent movement during cutting.
- Avoid wearing loose clothing or jewelry that could become entangled in the tool.
- Do not use the cutoff wheel if it is cracked, chipped, or otherwise damaged.
- Never apply excessive force when cutting; let the tool do the work.
- Be aware of the cutting direction and avoid cutting towards yourself or others.
- Keep bystanders at a safe distance while using the cutoff wheel.
- In case of an accident or injury, stop using the product immediately and seek assistance.

## Instructions for Installation and Usage

### 1. Installation

- Ensure that the tool is unplugged before installation.
- Remove the existing wheel if necessary, following the manufacturer's instructions.
- Place the fiberglass reinforced cutoff wheel onto the tool's spindle.
- Secure the wheel using the appropriate locking mechanism as per the tool's instructions.
- Doublecheck that the wheel is properly installed and securely fastened before use.

### 2. Usage

- Plug in the tool and allow it to reach full speed before making contact with the workpiece.
- Position the cutoff wheel at the desired angle for cutting.
- Apply gentle pressure and let the wheel cut through the material without forcing it.
- Monitor the cutting process and adjust your grip as necessary for control.
- After completing the cut, allow the tool to come to a complete stop before setting it down.

## **Disposal Instructions**

- Dispose of the cutoff wheel in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local waste management facilities for proper disposal methods for fiberglass products.

## **Contact Information for Further Support**

For any inquiries regarding safety or product usage, please refer to the contact information provided with your purchase or visit the manufacturer's website for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience while using the Fiberglass Reinforced CutOff Wheel by Dremel. Thank you for prioritizing safety in your projects!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)