

FN-FAL ACCESSORY TOOLS - D.S. ARMS GAS WRENCH

[Gunsmith Tools](#) > [Rifle Tools](#) > [Gas System Tools](#)

Original FAL Tools For Service Repair

Authentic tools necessary to keep the FAL in top operating condition. Front Sight Tool easily adjusts the sight for correct elevation. Extractor Tool makes the difficult task of removing the extractor for cleaning or repair easy. Gas Wrench has the strength for removing the most stubborn regulator nut. Buttstock Wrench is necessary for control of recoil spring when removing the buttstock.



Attributes

- Name: [D.S. ARMS GAS WRENCH](#)
- Manufacturer: [D.S. ARMS](#)
- Product no.: 274100641
- Mfr. No.: 641
- Model: FAL
- Weapon type: FN
- Delivery weight: 0.048kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- FNFal Accessory Tools Safety Instruction Guide
- About Us

FNFAL Accessory Tools Safety Instruction Guide

Introduction

Thank you for choosing the FNFAL Accessory Tools by D.S. ARMS. These authentic tools are essential for maintaining your FAL rifle in optimal working condition. This guide provides important safety instructions and guidelines to ensure safe use of the tools. Please read this guide carefully before using the products.

General Safety Guidelines

- Ensure that all tools are used in a welllit and safe environment.
- Always wear appropriate safety gear, including safety glasses and gloves, when using tools.
- Keep tools out of reach of children and unauthorized users.
- Inspect tools before use to ensure they are in good condition and free of defects.
- Do not use tools for purposes other than their intended use.
- Be aware of your surroundings and avoid distractions while using the tools.
- In case of any accidents or unsafe conditions, report immediately to the appropriate authorities.

Specific Safety Precautions for Use

• Front Sight Tool:

- Ensure the rifle is unloaded before making any adjustments.
- Use the tool gently to avoid damaging the sight.

• Extractor Tool:

- Always handle the extractor carefully to prevent injury.
- Ensure the rifle is completely disassembled before attempting to remove the extractor.

• Gas Wrench:

- Use caution when applying force to the regulator nut to avoid slipping.
- Ensure the wrench is securely positioned before applying torque.

• Buttstock Wrench:

- Make sure the rifle is stable and secure when removing the buttstock.
- Avoid excessive force to prevent damage to the recoil spring mechanism.

Instructions for Installation and Usage

• Front Sight Tool:

1. Ensure the rifle is unloaded.
2. Align the tool with the front sight.
3. Turn the tool to adjust the elevation as needed.

• Extractor Tool:

1. Unload and disassemble the rifle completely.
2. Insert the extractor tool into the designated slot.
3. Gently pull to remove the extractor for cleaning or repair.

- **Gas Wrench:**

1. Position the gas wrench over the regulator nut.
2. Turn the wrench counterclockwise to loosen the nut.
3. If the nut is stubborn, apply additional force carefully.

- **Buttstock Wrench:**

1. Ensure the rifle is stable.
2. Place the buttstock wrench over the buttstock.
3. Turn the wrench to remove the buttstock while controlling the recoil spring.

Disposal Instructions

- Dispose of any damaged or worn tools in accordance with local regulations.
- Do not dispose of tools in regular household waste.
- Consider recycling options where available.

Contact Information for Further Support

For safety inquiries or concerns regarding the FN Fal Accessory Tools, please refer to the official contact point provided by D.S. ARMS. Ensure you keep this manual for future reference and follow all safety guidelines to ensure a safe and effective use of your tools.

Thank you for your attention to safety and for choosing D.S. ARMS products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk