

1911 HEX-HEAD MAGAZINE RELEASE LOCK - MAGAZINE RELEASE LOCK, BLUED

[Handgun Parts](#) > [Frame Parts](#) > [Magazine Release Parts](#) > [Magazine Releases](#)

Extended Button & Tweaked Geometry For Extra-Secure Mag Retention

Hex head accepts a 1/16" Allen wrench for better control during installation and to help eliminate damage caused by screwdriver slippage. Ideal for use with EGW Heavy Duty Magazine Catch. Choose Blued carbon steel or natural-finish Stainless steel. Both are heat treated for extra strength, smooth performance, and durability.



Attributes

- Name: [MAGAZINE RELEASE LOCK, BLUED](#)
- Manufacturer: [EGW](#)
- Product no.: 296000143
- Mfr. No.: 11143
- Finish: Blued
- Hand: Right
- Make: 1911
- Model: Commander, Officers, Government
- Delivery weight: 0.005kg
- Shipping width: 79mm
- Shipping length: 124mm
- UPC: 841370101696

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 HEXHEAD MAGAZINE RELEASE LOCK
- About Us

Safety Instruction Guide for 1911 HEXHEAD MAGAZINE RELEASE LOCK

Introduction

Thank you for choosing the 1911 HEXHEAD MAGAZINE RELEASE LOCK. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm model (Government, Commander, Officers).
- Always wear appropriate safety gear, including eye protection, when handling firearms and firearm components.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any signs of damage or wear before installation.
- Do not use the product if it appears to be defective or damaged.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only a 1/16" Allen wrench to install the magazine release lock to avoid damage.
- Avoid using excessive force during installation to prevent damage to the firearm or the product.
- Ensure that the magazine release lock is securely installed before using the firearm.
- Do not modify the product in any way, as this may compromise safety and functionality.
- Always follow the manufacturer's instructions for use and maintenance.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools, including a 1/16" Allen wrench.

2. Installation:

- Locate the existing magazine release on your firearm.
- Remove the existing magazine release according to the manufacturer's instructions.
- Insert the 1911 HEXHEAD MAGAZINE RELEASE LOCK into the designated area.
- Use the 1/16" Allen wrench to tighten the lock securely. Avoid overtightening.

3. Usage:

- Test the magazine release to ensure it operates smoothly.
- Familiarize yourself with the operation of the magazine release lock before using the firearm in a live setting.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Seek out recycling facilities or programs that accept firearm components.

Contact Information for Further Support

For any questions or concerns regarding the 1911 HEXHEAD MAGAZINE RELEASE LOCK, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for prioritizing safety. Proper installation and usage of your magazine release lock will enhance your firearm's performance while ensuring your safety and that of others.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at