

# 1911 LONG NOSE RECOIL SPRING PLUG - EGW LONG NOSE PLUG WITH END HOLE SS

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Plugs](#)

## Improves The Appearance Of Pistols With Thick Bushings

Machined steel plug has an extended nose designed to fit flush with thicker-than-normal bushings for improved cosmetic appearance. Designed for use with EGW Thick Flange, Melt, or Carry Bevel bushings. Available in stainless or blued steel, with Solid End for G.I. spring guides or Open End for full-length guide rods. Fits any Government or Commander model pistol.



## Attributes

- Name: [EGW LONG NOSE PLUG WITH END HOLE SS](#)
- Manufacturer: [EGW](#)
- Product no.: 296000194
- Mfr. No.: 13101
- Model: Government
- Weapon type: 1911
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 841370102815

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 LONG NOSE RECOIL SPRING PLUG
- About Us

# Safety Instruction Guide for 1911 LONG NOSE RECOIL SPRING PLUG

## Introduction

Thank you for choosing the 1911 Long Nose Recoil Spring Plug. This product is designed to enhance the performance and appearance of your firearm. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the recoil spring plug for wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Only use the recoil spring plug with compatible EGW Thick Flange, Melt, or Carry Bevel bushings.
- Confirm that the plug fits securely within the bushing to prevent accidental dislodging.
- Do not exceed the manufacturer's recommended weight specifications:
  - Solid End: 0.3 oz. (9g)
  - Open End: 0.2 oz. (6g)
- Avoid using the product if it shows signs of corrosion or structural damage.
- Ensure that the firearm is unloaded before installation or removal of the recoil spring plug.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that your firearm is completely unloaded.
- Gather necessary tools for installation, such as a punch tool or screwdriver.

### 2. Installation Steps

- Remove the existing recoil spring plug from the firearm.
- Clean the area where the recoil spring plug will be installed.
- Insert the 1911 Long Nose Recoil Spring Plug into the bushing, ensuring it is oriented correctly.
- If using the Solid End, confirm it fits G.I. spring guides. For the Open End, ensure compatibility with fulllength guide rods.
- Secure the plug in place, making sure it fits flush with the bushing.

### 3. Usage Tips

- Regularly check the recoil spring plug for any signs of wear or damage during routine firearm maintenance.
- If you notice any irregularities, replace the recoil spring plug immediately.

## Disposal Instructions

- Dispose of the recoil spring plug in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling the materials where possible.

## Contact Information for Further Support

For any questions or concerns regarding the 1911 Long Nose Recoil Spring Plug, please refer to the product packaging for contact details of the manufacturer or visit the manufacturer's official website.

Thank you for prioritizing safety and compliance while using the 1911 Long Nose Recoil Spring Plug. Your attention to these guidelines helps ensure safe and effective use of this product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)