

1911 LONG NOSE RECOIL SPRING PLUG - EGW LONG NOSE PLUG WITH END HOLE BLUE

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Plugs](#)

Improves The Appearance Of Pistols With Thick Bushings

Machined steel plug has an extended nose designed to fit flush with thicker-than-normal bushings for improved cosmetic appearance. Designed for use with EGW Thick Flange, Melt, or Carry Bevel bushings. Available in stainless or blued steel, with Solid End for G.I. spring guides or Open End for full-length guide rods. Fits any Government or Commander model pistol.



Attributes

- Name: [EGW LONG NOSE PLUG WITH END HOLE BLUE](#)
- Manufacturer: [EGW](#)
- Product no.: 296000196
- Mfr. No.: 13103
- Make: 1911
- Model: Government
- Delivery weight: 0.009kg
- UPC: 841370102839

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Long Nose Recoil Spring Plug
- About Us

Safety Instruction Guide for 1911 Long Nose Recoil Spring Plug

Introduction

Thank you for choosing the 1911 Long Nose Recoil Spring Plug by EGW. This product is designed to enhance the performance and aesthetic of your firearm. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always treat firearms as if they are loaded.
- Ensure that the firearm is unloaded before installing or handling the recoil spring plug.
- Store the recoil spring plug in a secure location away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.
- Regularly inspect the recoil spring plug and other firearm components for wear and damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the recoil spring plug with compatible models, specifically Government or Commander model pistols.
- Do not exceed the manufacturer's recommended specifications for use.
- Ensure that the recoil spring plug is properly installed to avoid potential malfunctions.
- Use caution when handling the recoil spring plug as it may have sharp edges.
- Wear safety glasses when installing or removing the recoil spring plug to protect your eyes from potential debris.
- Keep the working area clean and free of distractions while installing or handling the recoil spring plug.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is completely unloaded.
- Gather the necessary tools for installation, including a punch tool if required.

2. Installation Steps

- Remove the existing recoil spring plug from your firearm.
- Align the new 1911 Long Nose Recoil Spring Plug with the recoil spring guide.
- Gently press the plug into place, ensuring it fits flush with the bushing.
- If using the Solid End, confirm compatibility with G.I. spring guides; if using the Open End, ensure it fits with fulllength guide rods.
- Doublecheck that the plug is securely in place before reassembling your firearm.

3. PostInstallation Checks

- After installation, perform a function check on your firearm to ensure everything operates correctly.
- Inspect the recoil spring plug for any signs of damage or misalignment.

Disposal Instructions

- Dispose of the recoil spring plug in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of in a manner that prevents it from being accessed by children or unauthorized individuals.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Long Nose Recoil Spring Plug, please refer to the manufacturer's website or contact their customer service team for assistance.

By following these guidelines, you can ensure the safe use of your 1911 Long Nose Recoil Spring Plug while enhancing your firearm's performance. Thank you for your attention to safety.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu