

BURRIS DOCTER RED DOT SIGHT MOUNT - EGW DOCTER SIGHT MOUNT FOR BLANK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Replaces Factory Rear Sight For Easy Installation Of A Burris Docter-Style Red Dot

Adapter base fits "iron" rear sight dovetails for easy mounting of a Burris Docter or similar red dot sight with a hole pattern that fits a Burris Docter base. No modifications to slide required. Adjustable hex-head screw ensures a secure lock in the dovetail; includes two hex-head cap screws to secure sight to base. Models available to fit Novak and Bo-Mar rear sight dovetails.



Attributes

- Name: [EGW DOCTER SIGHT MOUNT FOR BLANK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000309
- Mfr. No.: 49314
- Color: Black
- Fits / Used For: Burris FastFire, Doctor
- Make: -
- Model: -
- Delivery weight: 0.005kg
- UPC: 841370107148

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BURRIS DOCTER RED DOT SIGHT MOUNT EGW DOCTER SIGHT MOUNT FOR BLANK
- About Us

Safety Instruction Guide for BURRIS DOCTER RED DOT SIGHT MOUNT EGW DOCTER SIGHT MOUNT FOR BLANK

Introduction

Thank you for choosing the BURRIS DOCTER RED DOT SIGHT MOUNT. This guide provides essential safety instructions and information to ensure the proper use and installation of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of damage or wear.
- If you encounter any issues or concerns about the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the sight mount in any way, as this may compromise safety and functionality.
- Ensure that the sight mount is securely attached before use to prevent accidents.
- Avoid using the sight mount in extreme weather conditions without proper protection.
- Be cautious when handling tools during installation to prevent personal injury.
- Always verify that the sight is compatible with the mount before installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including hexhead wrenches.
- Ensure the work area is clean and welllit.

2. Installation Steps:

- Remove the existing rear sight from the firearm.
- Align the adapter base with the dovetail of the rear sight.
- Insert the adjustable hexhead screw into the dovetail, ensuring a secure fit.
- Tighten the hexhead screw to lock the mount in place.
- Use the included hexhead cap screws to secure the sight to the base.
- Doublecheck all screws to ensure they are tight and secure.

3. Usage:

- After installation, ensure that the sight is properly calibrated for accuracy.
- Regularly check the mount and sight for any signs of loosening or damage during use.

Disposal Instructions

- When disposing of the product, follow local regulations for electronic waste and metal disposal.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer functional, take it to a designated recycling facility.

Contact Information for Further Support

For any inquiries or concerns regarding the BURRIS DOCTER RED DOT SIGHT MOUNT, please reach out to your local dealer or the manufacturer for assistance. Ensure that you have the product details ready for a more efficient support experience.

Thank you for your attention to these safety guidelines. Your safety is our priority, and we hope you enjoy using the BURRIS DOCTER RED DOT SIGHT MOUNT.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu