

OPTIMA/JPOINT HANDGUN MOUNTS - EGW OPTIMA/JP MOUNT FOR KIMBER ADJUSTABLE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Optima/JPoint/Delta Point Mount. Simply remove the rear sight on your gun and replace it with the EGW mount in order to mount your Optima, J-Point or Delta Point red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included.



Attributes

- Name: [EGW OPTIMA/JP MOUNT FOR KIMBER ADJUSTABLE](#)
- Manufacturer: [EGW](#)
- Product no.: 296000343
- Mfr. No.: 49412
- Color: Black
- Make: Kimber
- Delivery weight: 0.016kg
- UPC: 841370107179

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for EGW Optima/JPoint Handgun Mount
- About Us

Safety Instruction Guide for EGW Optima/JPoint Handgun Mount

Introduction

Thank you for choosing the EGW Optima/JPoint Handgun Mount for your Kimber firearm. This guide provides important safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that this product is used only with compatible firearms.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Keep the mount and all accessories out of reach of children and unauthorized users.
- Regularly inspect the mount for any signs of wear or damage before use.
- If you experience any issues with the mount, discontinue use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Avoid Modifications:** Do not alter the mount or your firearm in any way that may compromise safety or functionality.
- **Check Compatibility:** Ensure that your Optima, JPoint, or Delta Point sight is compatible with this mount.
- **Secure Installation:** Always ensure that the mount is securely attached before using your firearm.
- **Proper Maintenance:** Clean the mount regularly to prevent dirt and debris from affecting its performance.
- **Follow Manufacturer Instructions:** Adhere to all instructions provided by the manufacturer of the reddot sight.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (typically a screwdriver) for installation.

2. Remove Rear Sight:

- Carefully remove the rear sight from your Kimber firearm as per the manufacturer's instructions.

3. Install EGW Mount:

- Align the EGW mount with the mounting holes on your firearm.
- Secure the mount using the provided mounting hardware. Ensure all screws are tightened properly.

4. Attach RedDot Sight:

- Follow the manufacturer's instructions to attach your Optima, JPoint, or Delta Point reddot sight to the EGW mount.

5. Final Check:

- Doublecheck that the mount and sight are securely attached.
- Conduct a function check to ensure everything is operating correctly.

Disposal Instructions

- Dispose of packaging materials in accordance with local waste management regulations.
- If the mount becomes damaged beyond repair, dispose of it responsibly, ensuring it does not pose a risk to the environment or public safety.

Contact Information for Further Support

For any questions or concerns regarding the EGW Optima/JPoint Handgun Mount, please refer to the manufacturer's website or contact their support team for assistance.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation. Enjoy your shooting experience responsibly!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu