

# OPTIMA/JPOINT HANDGUN MOUNTS - EGW OPTIMA/JP MOUNT FOR SPRINGFIELD XD

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

EGW Optima/JPoint/Delta Point Mount. Simply remove the rear sight on your gun and replace it with the EGW mount in order to mount your Optima, J-Point or Delta Point red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included.



## Attributes

- Name: [EGW OPTIMA/JP MOUNT FOR SPRINGFIELD XD](#)
- Manufacturer: [EGW](#)
- Product no.: 296000352
- Mfr. No.: 49424
- Colour: Black
- Model: XD
- Weapon type: Springfield
- Delivery weight: 0.016kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 841370107292

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for EGW Optima/JPoint Handgun Mount
- About Us

# Safety Instruction Guide for EGW Optima/JPoint Handgun Mount

## Introduction

Thank you for choosing the EGW Optima/JPoint Handgun Mount for your Springfield XD. This guide is designed to provide you with essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or removing the mount.
- Keep the mount and all components out of reach of children and unauthorized users.
- Use the mount only with compatible reddot sights (Optima, JPoint, or Delta Point).
- Regularly inspect the mount for wear, damage, or loose parts before each use.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the mounting hardware is securely fastened before use to prevent the sight from detaching.
- Do not attempt to modify the mount or the firearm in ways not specified in this guide.
- If you experience any issues with the mount, discontinue use immediately and seek assistance.
- Avoid using the mount in extreme environmental conditions (e.g., excessive heat or moisture) that may affect its performance.
- Always practice safe handling of your firearm when using the mount.

## Instructions for Installation and Usage

### 1. Installation

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the rear sight from your Springfield XD according to the manufacturer's instructions.
- Align the EGW mount with the sight dovetail on the firearm.
- Secure the mount using the included mounting hardware. Ensure all screws are tightened, but do not overtighten.
- Verify that the mount is securely attached before proceeding.

### 2. Usage

- Attach your Optima, JPoint, or Delta Point reddot sight to the EGW mount following the manufacturer's instructions for the sight.
- Check that the sight is properly aligned and securely fastened.
- Test the sighting system in a safe environment before use in the field.

## Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local regulations.
- Do not dispose of the mount in regular household waste if it contains hazardous materials.
- Consider recycling components where possible.

## Contact Information for Further Support

For any inquiries regarding safety, installation, or product concerns, please reach out to the appropriate support channels available in your region. Ensure you have your product details at hand for efficient assistance.

By following these safety instructions, you can ensure a safe and effective experience with your EGW Optima/JPoint Handgun Mount. Thank you for your attention to safety, and enjoy your shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)