

SAVAGE ROUND BACK SHORT ACTION STEEL HD SCOPE BASES - EGW SAVAGE 10-16 ROUND BACK SHORT ACTION 20 MOA STEEL

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Savage 10-16 Round Back Short Action Heavy Duty Steel Scope Bases. Add the versatility of a one-piece Picatinny scope rail to your shotgun with no drilling or tapping. Precision machined from hardened steel with Picatinny slot-and-rail spacing that allows fast and simple changes to eye relief, plus great flexibility in scope choice. Drilled to fit the factory scope mount holes on the gun's receiver. Accepts Picatinny or Weaver scope rings. Heavy Duty (HD) mounts are .100" lower than the Lightweight mounts to minimize weight and keep your optic closer to the barrel centerline for improved accuracy. Full-width cross-slots are gauged to MIL-STD 1913 specs to +/- .002". Machined from ultra-rigid 4140 carbon steel pre-hardened to Rc 35-35 before machining. Includes socket head Torx® screws and wrench. EGW recommends 20 inch lbs of torque and a drip of blue loctite.



Attributes

- Name: [EGW SAVAGE 10-16 ROUND BACK SHORT ACTION 20 MOA STEEL](#)
- Manufacturer: [EGW](#)
- Product no.: 296000452
- Mfr. No.: 86202
- Colour: Black
- Elevation: 20 MOA
- Material: Steel
- Model: 10,11,12,14,16
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Savage, Savage Arms
- Delivery weight: 0.184kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 841370109609

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for EGW Savage 1016 Round Back Short Action Steel HD Scope Bases
- About Us

Safety Instruction Guide for EGW Savage 1016 Round Back Short Action Steel HD Scope Bases

Introduction

Thank you for choosing the EGW Savage 1016 Round Back Short Action Heavy Duty Steel Scope Bases. This guide provides important safety information to ensure the safe and effective use of your product. Please read and follow these instructions carefully to avoid injury and ensure optimal performance.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use with firearms. Ensure you understand its operation before installation and use.
- **Enhanced Recalls:** Stay informed about any product recalls. Check regularly for updates on safety notices.
- **Online Shopping:** When purchasing online, ensure the retailer complies with safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the contact information provided by your retailer.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- **Read All Instructions:** Before using the scope bases, read all instructions and warnings provided in this guide.
- **Check Compatibility:** Ensure that these scope bases are compatible with your specific firearm model (Savage 10, 12, 16, 11, 14).
- **Inspect Before Use:** Regularly inspect the scope bases for any signs of wear or damage. Do not use if damaged.
- **Use Proper Tools:** Use only the recommended tools for installation to avoid damaging the scope bases or your firearm.
- **Torque Specifications:** Follow the recommended torque specifications (20 inch lbs) when installing the scope bases.
- **Use Loctite:** Apply a drop of blue Loctite to screws to secure them in place and prevent loosening during use.
- **Avoid Overtightening:** Overtightening screws can damage the scope bases and your firearm. Follow the torque recommendations carefully.

Instructions for Installation and Usage

1. Gather Required Tools:

- Socket head Torx® wrench (included)
- Blue Loctite (not included)

2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing scope mounts or bases from the receiver.
- Clean the receiver to remove any debris or old adhesive.
- Position the EGW scope base over the factory scope mount holes on the receiver.
- Align the base with the holes and ensure it is seated properly.
- Apply a drop of blue Loctite to each screw.
- Insert the screws into the base and tighten to the recommended torque (20 inch lbs) using the

- socket head Torx® wrench.
- Doublecheck that the base is securely attached and does not move.

3. Using the Scope:

- Attach your Picatinny or Weaver scope rings to the installed scope base.
- Mount your scope according to the manufacturer's instructions, adjusting for eye relief as needed.
- Ensure all screws are tightened to the manufacturer's specifications.

Disposal Instructions

- Environmental Responsibility:** Dispose of the product responsibly in accordance with local regulations.
- Recycling:** Check if the materials can be recycled. Steel components may be recyclable.
- Hazardous Materials:** If any components are deemed hazardous, follow appropriate disposal procedures.

Contact Information for Further Support

For any additional questions or concerns regarding the EGW Savage 1016 Round Back Short Action Steel HD Scope Bases, please refer to the contact information provided by your retailer or manufacturer.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your EGW Savage 1016 Round Back Short Action Steel HD Scope Bases. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk