

HOT BUTTON - UNITY TACTICAL HOT BUTTON M-LOK NGAL LASER 6" MODE SELECT FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL HOT BUTTON M-LOK NGAL LASER 6" MODE SELECT FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 430100009
- Mfr. No.: HBM-NFM
- Colour: Flat Dark Earth
- Delivery weight: 0.077kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 127mm

Item details

Made in USA

Table of Contents

- Startpage
- HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" MODE SELECT FDE Safety Instructions
- About Us

HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" MODE SELECT FDE Safety Instructions

Introduction

Thank you for choosing the Hot Button Unity Tactical Hot Button MLOK NGAL Laser 6" Mode Select FDE. This product is designed to enhance your experience with weaponmounted electronic accessories by providing an ergonomic and efficient control mechanism. It is essential to follow safety guidelines to ensure safe and effective use. This document outlines important safety information, installation instructions, and disposal guidelines.

General Safety Guidelines

- Always use the Hot Button in accordance with the manufacturer's instructions.
- Ensure that the Hot Button is compatible with your weapon and accessories before use.
- Regularly inspect the Hot Button for any signs of wear or damage.
- Avoid using the Hot Button in extreme temperatures or conditions that may affect its performance.
- Keep the Hot Button and all associated equipment out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Button Activation:**
 - Use your thumb to activate the button at a 45degree angle for optimal performance.
 - Avoid applying excessive force while pressing the button to prevent damage.
- **Accidental Actuation:**
 - Ensure that the raised, crenelated bezel is intact to protect against accidental activation.
- **Secure Attachment:**
 - Confirm that the Hot Button is securely attached to the rail system to prevent detachment during use.
- **Compatibility Checks:**
 - Verify that the Hot Button is compatible with standard Surefire tail caps and standard CraneStyle laser ports.
- **Environmental Considerations:**
 - Do not expose the Hot Button to moisture, dust, or extreme environmental conditions that may impair its function.

Instructions for Installation and Usage

1. Installation:

- Ensure that your weapon is unloaded and safe before installation.
- Select the appropriate rail interface (MilStd M1913 Picatinny or MLOK) for your setup.
- Use the provided hardware to securely attach the Hot Button to the rail.
- Ensure that the button is positioned for easy access with your thumb.

2. Usage:

- To activate the Hot Button, press down with your thumb at the angled button.
- Maintain consistent pressure for momentary activation as needed.
- Always be aware of your surroundings and ensure safe practices while using the weapon.

3. PostUse Care:

- After use, clean the Hot Button with a soft, dry cloth to remove any debris.
- Store the Hot Button in a safe and secure location when not in use.

Disposal Instructions

- Dispose of the Hot Button according to local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer functional, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Thank you for prioritizing safety and ensuring the proper use of your Hot Button Unity Tactical Hot Button MLOK NGAL Laser 6" Mode Select FDE. Your adherence to these guidelines will help maintain a safe environment for yourself and others.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk